



## **King's Research Portal**

DOI: 10.1016/j.bodyim.2013.10.003

Document Version Peer reviewed version

Link to publication record in King's Research Portal

Citation for published version (APA):

Veale, D., Eshkevari, E., Ellison, N., Costa, A., Robinson, D., Kavouni, A., & Cardozo, L. (2014). A comparison of risk factors for women seeking labiaplasty compared to those not seeking labiaplasty. *Body Image*, 11(1), 57-62. Article N/A. https://doi.org/10.1016/j.bodyim.2013.10.003

Please note that where the full-text provided on King's Research Portal is the Author Accepted Manuscript or Post-Print version this may differ from the final Published version. If citing, it is advised that you check and use the publisher's definitive version for pagination, volume/issue, and date of publication details. And where the final published version is provided on the Research Portal, if citing you are again advised to check the publisher's website for any subsequent corrections.

## **General rights**

Copyright and moral rights for the publications made accessible in the Research Portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognize and abide by the legal requirements associated with these rights.

- •Users may download and print one copy of any publication from the Research Portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
   You may freely distribute the URL identifying the publication in the Research Portal

If you believe that this document breaches copyright please contact librarypure@kcl.ac.uk providing details, and we will remove access to the work immediately and investigate your claim.

Download date: 20. Oct. 2024

Table 1

Demographics in the Women Seeking Labiaplasty and Comparison Group

	Labiaplasty	Comparison	Statistic
	group	group	
Age Median (IQR)	30.00 (19)	28.50 (20)	U = 1902.5, Z =11, p = .91
Sexual orientation $n$ (%):			
Only to the opposite sex	39 (73.6%)	52 (74.3%)	
Mainly to the opposite sex	11 (20.8%)	11 (15.7%)	$\chi^2(4) = 1.13, p = .61$
Equally to both sexes	3 (5.7%)	7 (10.0%)	
Mainly to the same sex	0	0	
Only to the same sex	0	0	
Marital status <i>n</i> (%):			
Single	35 (63.6%)	38 (54.3%)	$\chi^2(3) = 3.87, p = .29$
Separated/divorced	7 (12.7%)	5 (7.1%)	
Married/cohabiting	12 (21.8%)	26 (37.1%)	
Widowed	1 (1.8%)	1 (1.4%)	
Children <i>n</i> (%):			
Yes	15 (27.3%)	22 (31.4%)	$\chi^2(1) = .255, p = .61$
No	40 (72.7%)	48 (68.6%)	
Ethnicity <i>n</i> (%):			
White	48 (87.3%)	53 (75.7%)	$\chi^2(3) = 7.17, p = .07$
Black/Black British	0	8 (11.4%)	

2 (3.6%)	4 (5.7%)	
3 (5.5%)	3 (4.3%)	
19 (34.5%)	21 (30%)	$\chi^2(1) = .25, p = .62$
35 (63.6%)	47 (67%)	
	3 (5.5%) 19 (34.5%)	3 (5.5%) 3 (4.3%) 19 (34.5%) 21 (30%)

Table 2

Childhood Trauma Questionnaire

	Labiaplasty	Comparison	Statistic	Effect size
	group	group	n = 118	Cohen's d
	Med (IQR)	Med (IQR)		
Emotional	8.0 (6.0)	7.0 (6.0)	U = 1526.0, Z = -1.002, p = .32	d = -0.19
abuse				
Emotional	11.0 (7.0)	9.0 (8.0)	U = 1497.0, Z = -1.154, p = .25	d = -0.21
neglect				
Physical abuse	5.0 (2.0)	5.0 (1.0)	U = 1687.5, Z =134, p = .90	d = -0.03
Physical	6.0 (4.0)	6.0 (4.0)	U = 1553.0, Z =876, p = .38	d = -0.16
neglect				
Sexual abuse	5.0 (1.0)	5.0 (1.0)	U = 1654.5, Z =351, p = .73	d = -0.07

Table 3
Sexual Behaviour in Women Seeking Labiaplasty and Comparison Group

	Labiaplasty	Comparison	Statistic
	group	group	
			U = 1631.0, Z =1038, p = .301
Age at first intercourse	17.0 (2)	17.0 (2)	
Med (IQR)			
History of rape or sexual	7/54 (13%)	4/70 (6%)	$\chi^2$ (1) = 1.981, $p$ = .207
abuse since the age of 16			

Table 4

Perception of Teasing in Women Seeking Labiaplasty and Comparison group

Frequency	Labiaplasty	Comparison	Statistic	Effect size
	group	group	n = 118	Cohen's d
	Med (IQR)	Med (IQR)		
Appearance	9.0 (7.0)	7.0 (5.0)	U = 1508.0, Z = -1.262, p = .21	d = -0.23
teasing (freq)				
Competency	10.0 (8.0)	11.0 (5.0)	U = 1591.0, Z =642, p = .52	d = -0.12
teasing				
(freq)				
Teasing total	18.0 (10.5)	19.0 (8.0)	U = 1698.0, Z =236, p = .82	d = -0.04
score				
(freq)				
	Labiaplasty	Control	Comparison	Effect size
	M (SD)	M (SD)		Cohen's d
Appearance	3.72 (1.00)	3.54 (0.98)	t(86) =816, p = .42	d =18
teasing				
distress score				
Competency	2.80 (1.21)	2.50 (0.89)	t(92) = -1.375, p = .17	d =28
teasing				
distress score				
Upset total	3.17 (1.06)	2.82 (1.00)	t(100) = -1.718, p = .09	d =34
score				

Table 5

Disgust Sensitivity in Women Seeking Labiaplasty and Comparison Group

Disgust Scale	Labiaplasty	Comparison	Statistic	Effect size
Revised	group	group		Cohen's d
	Med (IQR)	Med (IQR)	<i>n</i> = 116	
Total score	46.0 (15.0)	49.0 (22.0)	U = 1506.0, Z =843, p = .40	d = -0.16
Core disgust	24.5 (8.0)	26.0 (8.0)	U = 1407.5, Z = -1.393, p = .17	d = -0.26
Contamination and self-disgust	6.0 (5.00)	7.0 (7.0)	U = 1642.0, Z =086, p = .93	<i>d</i> = -0.16
Animal disgust	15.0 (6.3)	15.0 (10.0)	U = 1603.5, Z =301, p = .77	d = -0.06

Table 6

Aesthetic Sensitivity in Women Seeking Labiaplasty and Comparison Group

Higher education	Labiaplasty	Comparison	Statistic
or training in art	group	group	
or design	<i>n</i> = 26	<i>n</i> = 22	
Positive	14 (54%)	10 (45%)	$\chi^2(1) = .336, p = .562$
Negative	12 (46%)	12 (55%)	