



King's Research Portal

DOI:

10.1016/j.acap.2022.07.003

Document Version

Version created as part of publication process; publisher's layout; not normally made publicly available

Link to publication record in King's Research Portal

Citation for published version (APA):

Nagata, J. M., Trompeter, N., Singh, G., Ganson, K. T., Testa, A., Jackson, D. B., Assari, S., Murray, S. B., Bibbins-domingo, K., & Baker, F. C. (2022). Social Epidemiology of Early Adolescent Cyberbullying in the United States. *Academic Pediatrics*, *22*(8), 1287-1293. https://doi.org/10.1016/j.acap.2022.07.003

Please note that where the full-text provided on King's Research Portal is the Author Accepted Manuscript or Post-Print version this may differ from the final Published version. If citing, it is advised that you check and use the publisher's definitive version for pagination, volume/issue, and date of publication details. And where the final published version is provided on the Research Portal, if citing you are again advised to check the publisher's website for any subsequent corrections.

General rights

Copyright and moral rights for the publications made accessible in the Research Portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognize and abide by the legal requirements associated with these rights.

- •Users may download and print one copy of any publication from the Research Portal for the purpose of private study or research.
- •You may not further distribute the material or use it for any profit-making activity or commercial gain •You may freely distribute the URL identifying the publication in the Research Portal

If you believe that this document breaches copyright please contact librarypure@kcl.ac.uk providing details, and we will remove access to the work immediately and investigate your claim.

Download date: 14. Jan. 2025

ARTICLE IN PRESS

Social Epidemiology of Early Adolescent Cyberbullying in the United States

Jason M. Nagata, MD, MSc; Nora Trompeter, BPsych; Gurbinder Singh, BS; Kyle T. Ganson, PhD, MSW; Alexander Testa, PhD; Dylan B. Jackson, PhD; Shervin Assari, MD, MPH; Stuart B. Murray, DClinPsych, PhD; Kirsten Bibbins-Domingo, PhD, MD, MAS; Fiona C. Baker, PhD

From the Division of Adolescent and Young Adult Medicine, Department of Pediatrics (JM Nagata and G Singh), University of California, San Francisco, Calif, USA; Department of Psychology (N Trompeter), Centre for Emotional Health, Macquarie University, Sydney, NSW, Australia; Factor-Inwentash Faculty of Social Work (KT Ganson), University of Toronto, Toronto, Ontario, Canada; Department of Management (A Testa), Policy and Community Health, University of Texas Health Science Center at Houston, Houston, Tex, USA; Department of Population (DB Jackson), Family, and Reproductive Health, Johns Hopkins Bloomberg School of Public Health, Johns Hopkins University, Baltimore, Md, USA; Department of Family Medicine (S Assari), College of Medicine, Charles R. Drew University of Medicine and Science, Los Angeles, Calif, USA; Department of Urban Public Health (S Assari), Charles R. Drew University of Medicine and Science, Los Angeles, Calif, USA; Department of Psychiatry and Behavioral Sciences (SB Murray), University of Southern California, Los Angeles, Calif, USA; Department of Psychiatry and Behavioral Sciences (SB Murray), University of Southern California, Los Angeles, Calif, USA; Department of Epidemiology and Biostatistics (K Bibbins-Domingo), University of California, San Francisco, San Francisco, Calif, USA; Center for Health Sciences (FC Baker), SRI International, Menlo Park, Calif, USA; and School of Physiology (FC Baker), University of the Witwatersrand, Johannesburg, South Africa

Conflicts of Interest: The authors have no conflict to declare.

Address correspondence to Jason M. Nagata, MD, MSc, 550 16th St, 4th Floor, Mailroom 4100, Box 0503, San Francisco, CA, 94143. (e-mail: jason.nagata@ucsf.edu).

Received for publication March 31, 2022; accepted July 2, 2022.

ABSTRACT

OBJECTIVE: To determine the prevalence and sociodemographic correlates of cyberbullying victimization and perpetration among a racially, ethnically and socioeconomically diverse population-based sample of 11–12-year-old early adolescents.

METHODS: We analyzed cross-sectional data from the Adolescent Brain Cognitive Development (ABCD) Study (Year 2; N = 9429). Multiple logistic regression analyses were used to estimate associations between sociodemographic factors (sex, race/ethnicity, sexual orientation, country of birth, household income, parental education) and adolescent-reported cyberbullying victimization and perpetration.

RESULTS: In the overall sample, lifetime prevalence of cyberbullying victimization was 9.6%, with 65.8% occurring in the past 12 months, while lifetime prevalence of cyberbullying perpetration was 1.1%, with 59.8% occurring in the past 12 months. Boys reported higher odds of cyberbullying perpetration (AOR 1.71, 95% CI 1.01–2.92) but lower odds of cyberbullying victimization (AOR 0.80, 95% CI 0.68–0.94) than girls. Sexual

minorities reported 2.83 higher odds of cyberbullying victimization (95% CI 1.69–4.75) than nonsexual minorities. Lower household income was associated with 1.64 (95% CI 1.34 –2.00) higher odds of cyberbullying victimization than higher household income, however household income was not associated with cyberbullying perpetration. Total screen time, particularly on the internet and social media, was associated with both cyberbullying victimization and perpetration.

CONCLUSIONS: Nearly one in 10 early adolescents reported cyberbullying victimization. Pediatricians, parents, teachers, and online platforms can provide education to support victims and prevent perpetration for early adolescents at the highest risk of cyberbullying.

KEYWORDS: adolescents; cyberbullying; pediatrics; population groups; screen time; social media

ACADEMIC PEDIATRICS 2022;XXX:1-7

WHAT'S NEW

In a demographically diverse, contemporary sample of 11–12-year-old early adolescents in the United States, 9.6% reported a lifetime prevalence of cyberbullying victimization and 1.1% reported lifetime cyberbullying perpetration. Girls, sexual minorities, and adolescents from low-income households reported higher cyberbullying victimization.

SCREEN USE AMONG children and adolescents has dramatically increased and transformed over the past few

years with new social media and other platforms (eg, smart phones, gaming consoles, tablets) emerging and gaining popularity, ^{1,2} leading to more potential exposure to cyberbullying victimization and perpetration. Generally, cyberbullying is the willful and repeated harm by a perpetrator to a victim through the use of computers, cell phones, or other electronic devices. ³ Cyberbullying perpetration is identified as an intention to inflict harm in a repetitive and focused manner upon a less powerful individual. ³ Compared to in-person bullying, cyberbullying can allow users to maintain anonymity, occur outside of educational vicinities, and be more challenging to

2 Nagata et al Academic Pediatrics

escape.³ Cyberbullying is recognized as a serious public health issue affecting children and adolescents, but its prevalence and sociodemographic associations may be changing given recent increases in adolescent screen use and exposures to new forms of digital technologies.⁴

Recognizing the contemporary prevalence of cyberbullying behaviors and associated sociodemographic factors is crucial for implementing preventive measures against downstream consequences such as anxiety and depression, loneliness, and suicidal ideation.⁵ Children from lower socioeconomic backgrounds or racial/ ethnic minority groups have demonstrated higher screen time that might facilitate greater exposure to cyberbullying.⁶ Among a sample of middle school students in the Los Angeles Unified School District surveyed in 2012, 6.6% reported cyberbullying victimization and 5% reported cyberbullying perpetration. Cyberbullying perpetrators and victims were more likely to report at least 3 hours of internet use per day. Students who texted more than 50 times per day were also more likely to report cyberbullying victimization. Sexual minority adolescents reported double the cyberbullying victimization rates than their non-sexual minority adolescent peers in Los Angeles⁷ and Boston.8 However, the reported percentage of cyberbullying among sexual minority youth has ranged widely, from 10.5% to 71.3%.9 Findings on sex differences in cyberbullying have been mixed and may depend on age. 10,11 One meta-analysis showed that early to mid-adolescent girls were more likely, whereas late-adolescent girls were less likely, to report cyberbullying (victimization or perpetration) than their male counterparts. 10 This finding is supported in a study on traditional bullying across late childhood and early adolescence, where rates of bullying were more persistent in girls than in boys, but also declined overall across the transition from primary school to secondary school. 12 With respect to race and ethnicity, a prior study of White and Black respondents observed similar cyberbullying victimization and perpetration behaviors. 13 Greater screen use is also associated with more cyberbullying, since cyberbullying requires access to an electronic device. 14,15 However, there is a paucity of data on contemporary cyberbullying prevalence, also considering multiple sociodemographic characteristics, in US early adolescents, when cyberbullying behaviors may begin to develop. 10 Early adolescence is a critical period of development carrying high potential for interventions that target screen behaviors associated with cyberbullying behaviors. 16

The purpose of the current study was to investigate contemporary cyberbullying behaviors (victimization and perpetration) characterized across a national population-based and demographically diverse sample of US early adolescents aged 10–14 years-old. We considered potential differences in cyberbullying behaviors by sex, sexual orientation, race/ethnicity, and socioeconomic status. We also investigated associations between cyberbullying behaviors and usage of different screen time modalities.

METHODS

We conducted a secondary cross-sectional analysis of data from the 2-year follow-up of the Adolescent Brain Cognitive Development (ABCD) study (4.0 release). The ABCD study is a longitudinal study (baseline 2016 -2018) of health, brain, and cognitive development in 11,875 children from 21 recruitment sites across the US. The ABCD study participants, recruitment, protocol, and measures have previously been described in detail. 17 Participants were predominantly 11-12 years old (range 10 -14 years) during the 2-year follow-up, which was conducted between 2018 and 2020. We omitted study participants with missing data for cyberbullying or sociodemographic variables (Supplemental Appendix). After omitting participants with missing data, 9429 children remained in the analytic sample. Institutional review board (IRB) approval was received from the University of California, San Diego (UCSD) and the respective IRBs of each study site. Written assent was obtained from participants, and written informed consent was obtained from their caregivers.

MEASURES AND STUDY VARIABLES

DEPENDENT VARIABLES

Cyberbullying questionnaire. Adolescents completed a self-reported questionnaire to capture cyberbullying (victimization and perpetration) based on the validated Cyberbullying Scale. Cyberbullying victimization was assessed with the question, "Have you ever been cyberbullied, where someone was trying on purpose to harm you or be mean to you online, in texts, or group texts, or on social media (like Instagram or Snapchat)?" Cyberbullying perpetration was assessed with the question, "Have you ever cyberbullied someone, where you purposefully tried to harm another person or be mean to them online, in texts or group texts, or on social media (like Instagram or Snapchat)?" For both cyberbullying victimization and perpetration, participants were also asked if this occurred in their lifetime as well as in the past 12 months.

INDEPENDENT VARIABLES

Parents reported participants' sex at birth (male or female), race and ethnicity (Non-Latino/Hispanic White, Non-Latino/Hispanic Black, Native American, Latino/Hispanic, Asian, or Other), and country of birth (born in US or outside US) at baseline. Additionally, parents reported highest parent education and household income at Year 2. Highest parent education was classified as high school or lower versus college or higher. Household income was grouped into two categories reflecting the US median household income: less than \$75,000 and \$75,000 or more. ¹⁹ Participants reported their own sexual orientation ("Are you gay or bisexual?"; yes, maybe, no, don't understand the question) at Year 2. Responses "yes" and "maybe" were grouped together to represent sexual minority youth.

Screen use for the following modalities was determined using adolescents' self-reported hours of use on a typical weekday and weekend: multi-player gaming, single-player gaming, texting, social media, video chatting, browsing the internet, and watching/streaming movies, videos, or TV. Total typical daily screen use was calculated as the weighted sum ([weekday average x 5] + [weekend average x 2])/7.

STATISTICAL ANALYSES

Data analyses were performed in 2022 using Stata 15.1 (StataCorp). Multiple logistic regression analyses were conducted to estimate cross-sectional associations between sociodemographic factors (both models included sex, race and ethnicity, sexual orientation, country of birth, household income, parents' highest education) as independent variables and lifetime cyberbullying victimization or perpetration as outcomes, controlling for study site (n = 21). We additionally used multiple logistic regression analyses to estimate associations between screen time and lifetime cyberbullying victimization or perpetration in unadjusted and adjusted models. Both adjusted models controlled for sex, race/ethnicity, sexual orientation, country of birth, household income, parents' highest education, and study site. Propensity weights were applied to match key sociodemographic variables in the ABCD Study to the American Community Survey from the US Census.²¹

RESULTS

Table 1 describes sociodemographic characteristics of the 9429 participants included. The analytic sample was approximately balanced according to sex (48.6% female) and was racially and ethnically diverse (43.8% racial and ethnic minority). Lifetime prevalence of cyberbullying victimization was 9.6%, with 6.3% reporting victimization in the past 12 months. Lifetime prevalence of cyberbullying perpetration was 1.1%, with 0.7% reporting perpetration in the past 12 months.

Table 2 shows sociodemographic associations with lifetime cyberbullying victimization and perpetration. Boys reported higher odds of cyberbullying perpetration (adjusted odds ratio [AOR] 1.71, 95% confidence interval [CI] 1.01-2.92) but lower odds of cyberbullying victimization (AOR 0.80, 95% CI 0.68-0.94) than girls. There were no significant differences in cyberbullying victimization by race/ethnicity. Native American adolescents reported 4.39 higher odds of cyberbullying perpetration (95% CI 1.32-14.57) than White adolescents. Sexual minority adolescents reported 2.83 higher odds of cyberbullying victimization (95% CI 1.69-4.75) than heterosexual adolescents. Lower household income was associated with 1.64 (95% CI 1.34-2.00) higher odds of cyberbullying victimization than higher household income.

Table 3 shows unadjusted and adjusted associations among screen time and cyberbullying victimization and perpetration. Each additional hour of total screen time was associated with 1.11 (95% CI 1.08–1.14) higher odds

Table 1. Sociodemographic and Cyberbullying Characteristics of Adolescent Brain Cognitive Development (ABCD) Study participants at the Year 2 (2018–2020) visit (N = 9,429)

Sociodemographic Characteristics	Mean (SD)/%
Age (years)	12.0 (0.7)
Sex (%)	, ,
Female	48.6%
Male	51.4%
Race and ethnicity (%)	
White	56.2%
Latino / Hispanic	19.0%
Black	15.2%
Asian	5.3%
Native American	3.1%
Other	1.2%
Sexual minority status (%)	
Yes / maybe	1.5%
No	73.5%
Don't understand the question	25.1%
U.Sborn (%)	
Yes	96.3%
No	3.7%
Household income (%)	
Less than \$75,000	52.6%
\$75,000 and greater	47.4%
Parents' highest education (%)	
College education or more	16.7%
High school education or less	83.3%
Total daily screen time (hours)	7.0 (5.7)
Television shows/movies	1.6 (1.8)
Videos (YouTube)	1.4 (1.9)
Video games (single player)	1.0 (1.6)
Video games (multi player)	1.1 (1.8)
Texting	0.7 (1.5)
Video chat	0.5 (1.3)
Social media	0.7 (1.6)
Internet	0.4 (0.7)
Cyberbullying	
Victimization	
Lifetime prevalence	9.6%
Within last 12 months	6.3%
Perpetration	
Lifetime prevalence	1.1%
Within last 12 months	0.7%

ABCD propensity weights were applied based on the American Community Survey from the US Census. SD = standard deviation.

cyberbullying victimization and 1.10 (95% CI 1.06–1.14) higher odds of cyberbullying perpetration in adjusted models. The specific screen modalities most strongly associated with cyberbullying victimization and perpetration were the internet and social media.

DISCUSSION

In a demographically diverse, contemporary sample of 11- and 12-year-old early adolescents in the United States, we found that 9.6% reported a lifetime prevalence of cyberbullying victimization, and 1.1% reported lifetime cyberbullying perpetration.

We found sex differences in cyberbullying victimization and perpetration in this early adolescent sample, with girls reporting more cyberbullying victimization than boys, consistent with a prior meta-analysis. ¹⁰ In contrast,

4 Nagata et al Academic Pediatrics

Table 2. Sociodemographic Associations With Lifetime Cyberbullying Victimization and Perpetration in the Adolescent Brain Cognitive Development (ABCD) Study

	Cyberbullying Victi	mization	Cyberbullying Perpe	etration
Sociodemographic Characteristics	OR (95% CI)	P	OR (95% CI)	Р
Sex				
Female	Reference		Reference	
Male	0.80 (0.68-0.94)	.006	1.71 (1.01-2.92)	.048
Race/ethnicity				
White	Reference		Reference	
Latino/Hispanic	0.84 (0.63-1.12)	.234	1.02 (0.38-2.72)	.966
Black	0.91 (0.71-1.17)	.459	1.60 (0.78-3.31)	.203
Asian	0.65 (0.39-1.07)	.088	1.54 (0.36-6.52)	.560
Native American	1.49 (0.96-2.32)	.078	4.39 (1.32-14.57)	.016
Other	0.65 (0.25-1.71)	0.386	3.21 (0.57-17.97)	.185
Sexual minority	,		,	
No	reference		reference	
Yes/maybe	2.83 (1.69-4.75)	<.001	1.04 (0.14-7.72)	.969
Don't understand the question	0.79 (0.65-0.97)	.027	0.64 (0.29-1.39)	.256
Country of birth (adolescent)				
United States	reference		reference	
Outside United States	0.81 (0.47-1.39)	.443	0.36 (0.06-2.04)	.250
Household income				
\$75,000 and greater	reference		reference	
Less than \$75,000	1.64 (1.34-2.00)	<.001	1.90 (0.95-3.82)	.070
Parents' highest education	,		,	
College education or more	reference		reference	
High school education or less	1.11 (0.87-1.43)	.407	1.14 (0.52-2.48)	.744

ABCD propensity weights were applied based on the American Community Survey from the US Census.

All models (victimization and perpetration) include sex, race/ethnicity, sexual orientation, country of birth, household income, parent education, and site.

boys reported more cyberbullying perpetration than girls, which is consistent with gender differences in general bullying²² but opposite to findings of the prior cyberbullying meta-analysis, although these differences may be due to sampling, age, or technology use differences. 10 While speculative, males' higher prevalence of cyberbullying perpetration may partially be explained by greater aggression or materialism, a cluster of goals and values focused on possessions, wealth, image, and status. 10,23 Verbal anger and aggression are explanatory factors for traditional and cyberbullying perpetration such that perpetration is associated with increased aggression.²⁴ Conversely, less aggression makes adolescents easier targets for bullying because it guarantees more anonymity for the bullying perpetrator.²⁴ One study also found that materialism was associated with cyberbullying in boys but not girls.²³

The higher rates of victimization among sexual minorities are consistent with prior studies showing that sexual minority youth are at increased risk of victimization through cyber and noncyberbullying, 8,9,25,26 although it is worth noting that 25% of respondents did not understand the question about sexual orientation. Future research in the ABCD Study could track this relationship as the participants progress across adolescence. Furthermore, cyberbullying victimization in sexual minority youth is associated with higher mental health problems; parental support can protect against mental health problems while non-supportive parents may exacerbate harms.²⁷

We did not find significant differences in cyberbullying victimization by race and ethnicity in this early adolescent sample, indicating that early adolescents are susceptible to cyberbullying victimization regardless of their race and ethnicity. The finding that Native American early adolescents reported higher rates of cyberbullying perpetration compared to White early adolescents is based on a relatively small sample of Native American early adolescents who reported cyberbullying perpetration and may not be representative of this population. Our preliminary finding requires further research, particularly qualitative exploration of cyberbullying experiences among understudied and underserved Native American adolescents, as well as replication, as we are unaware of prior studies reporting this finding.

We found that more screen time was associated with cyberbullying victimization and perpetration, and this was expected given that cyberbullying requires use of an electronic device. ^{14,15} The internet and social media had the strongest associations with cyberbullying and may be future targets for interventions to prevent cyberbullying.

Overall, fewer early adolescents reported cyberbullying perpetration than victimization. Cyberbullying perpetration could be concentrated among a smaller group of early adolescents, or participants may be less likely to admit to perpetration due to social desirability bias. Similar reporting patterns are seen in intimate partner violence where participants are three times more likely to report being a victim than a perpetrator.²⁸ Reasons for cyberbullying perpetration include intrinsic and extrinsic factors.²⁹

Table 3. Unadjusted and Adjusted Associations Between Screen Time and Cyberbullying in the Adolescent Brain Cognitive Development (ABCD) Study

Screen Time	Cyberbullying Victimization, Unadjusted	, Unadjusted	Cyberbullying Victimization, Adjusted ^a	ı, Adjusted ^a	Cyberbullying Perpetration, Unadjusted	Unadjusted	Cyberbullying Perpetration, Adjusted ^a	, Adjusted ^a
	Odds Ratio (95% CI)	Ь	Odds Ratio (95% CI)	Р	Odds Ratio (95% CI)	Ь	Odds Ratio (95% CI)	Ь
Total screen time	1.08 (1.07–1.09)	<.001	1.11 (1.08-1.14)	<.001	1.09 (1.07-1.10)	<.001	1.10 (1.06-1.14)	<.001
Television shows/movies	1.14 (1.10-1.18)	<.001	1.12 (1.04-1.21)	.004	1.12 (1.08-1.17)	<.001	1.08 (0.99-1.19)	0.088
Videos (YouTube)	1.14 (1.10-1.18)	<.001	1.17 (1.09-1.25)	<.001	1.13 (1.09-1.17)	<.001	1.13 (1.03-1.24)	600.0
Video games (single player)	1.08 (1.05-1.13)	<.001	1.14 (1.06-1.22)	<.001	1.08 (1.04-1.13)	<.001	1.09 (0.99-1.20)	0.074
Video games (multi player)	1.14 (1.10-1.18)	<.001	1.18 (1.12-1.25)	<.001	1.16 (1.11-1.20)	<.001	1.16 (1.08-1.24)	<.001
Texting	1.14 (1.10-1.18)	<.001	1.15 (1.09-1.22)	<.001	1.12 (1.07-1.16)	<.001	1.15 (1.06-1.24)	.00
Video chat	1.13 (1.09-1.18)	<.001	1.16 (1.09-1.23)	<.001	1.12 (1.06-1.17)	<.001	1.14 (1.04-1.24)	0.003
Social media	1.18 (1.13-1.22)	<.001	1.21 (1.15-1.27)	<.001	1.16 (1.11-1.21)	<.001	1.19 (1.12-1.27)	<.001
Internet	1.36 (1.26-1.46)	<.001	1.28 (1.13-1.45)	<.001	1.30 (1.20-1.41)	<.001	1.25 (1.09-1.43)	0.001

Adjusted models include sex, race and ethnicity, sexual orientation, country of birth, household income, parent education, and study site. ABCD propensity weights were applied based on the American Community Survey from the US Census.

Intrinsic factors include a redirection of feelings, instigation, boredom, anonymity/disinhibition, and consolation, while extrinsic factors include a lack of consequences, perceived target differences, and a lack of confrontation.²⁹

There are several limitations and strengths of this study worth noting. The data are cross-sectional and differences in sex, race/ethnicity, or socioeconomic status do not reflect causality but could be proxies of other underlying factors. Due to measures being self-reported, there is potential for recall, reporting, and social desirability bias. The effects of some sociodemographic factors were low. The potential for selection bias may be represented by a greater proportion of ethnic/racial minorities and parents with lower education excluded from the analysis. The strengths of this study are derived from the large, diverse, contemporary, and national sample.

Our findings have significant clinical, policy, and public health implications, particularly to inform the adaptation and implementation of digital technology guidance for adolescents. This research may further inform targeted screen-related guidance for educators, clinicians, and parents. The American Academy of Pediatrics advocates for a Family Media Use Plan, 30 which could incorporate guidance on family discussions on cyberbullying including supports for adolescents at risk for cyberbullying victimization and the consequences of cyberbullying perpetration. Studies show that parental intervention is critical in adolescence; therefore, informing and educating parents on the warning signs of cyberbullying perpetration or victimization could be helpful. Furthermore, school and community-level efforts to engage families may incorporate tailoring culturally sensitive messages to address teaching the youth skills in communication and social empathy, coping with cyberbullying, and digital citizenship.³¹ One meta-analysis found that cyberbullying programs were more effective when delivered by technology-savvy content experts compared to teachers. 16 Although the intervention used a trained psychologist as the content expert,³² future research could examine the role of pediatricians or other healthcare providers. Pediatricians can consider assessing for cyberbullying and provide support and anticipatory guidance for early adolescents, as appropriate, in this highly potentiated period for intervention. 12 However, it is important for pediatricians to note that adolescents may avoid the term "cyberbullying" due to its association with suicidality and severe depression and may instead describe their experiences as "online conflict."33

This study represents an advance in our understanding of cyberbullying prevalence among early adolescents and how these behaviors are associated with sociodemographic factors. Greater knowledge on the sociodemographic and behavioral risk factors of cyberbullying perpetration and victimization suggest that a wide range of social marginalizing factors correlate with victimization, which requires additional attention. Such efforts can strengthen and inform future individualized early adolescent-focused interventions across numerous technological platforms. Comprehension of the social epidemiology of

6 Nagata et al Academic Pediatrics

cyberbullying behavior is crucial, especially given the unprecedented rise of technology usage during the COVID-19 pandemic. 1,34

Role Of Funder Sponsor

The funders had no role in the study analysis, decision to publish the study, or the preparation of the manuscript.

ACKNOWLEDGMENTS

None.

Funding: J.M.N. was supported by the American Heart Association Career Development Award (CDA34760281) and the National Institutes of Health (K08HL159350). S.B.M. was supported by the National Institutes of Health (K23 MH115184). K.B.D. is supported by the National Institutes of Health (K24DK103992). The ABCD Study was supported by the National Institutes of Health and additional federal partners under award numbers U01DA041022, U01DA041025, U01DA041028, U01DA041048, U01DA041089, U01DA041093, U01DA041106, U01DA041117, U01DA041120, U01DA041134, U01DA041148, U01DA041156, U01DA041174, U24DA041123, and U24DA041147. A full list of supporters is available at https://abcdstudy.org/federal-partners/. A listing of participating sites and a complete listing of the study investigators can be found at https://abcdstudy.org/principal-investigators.html. ABCD consortium investigators designed and implemented the study and/or provided data but did not necessarily participate in analysis or writing of this report.

SUPPLEMENTARY DATA

Supplementary data related to this article can be found online at https://doi.org/10.1016/j.acap.2022.07.003.

REFERENCES

- Nagata JM, Cortez CA, Cattle CJ, et al. Screen time use among us adolescents during the COVID-19 pandemic: Findings from the Adolescent Brain Cognitive Development (ABCD) study. *JAMA Pediatr*. 2022;176:94–96. https://doi.org/10.1001/jamapediatrics.2021.4334.
- Twenge JM, Martin GN, Spitzberg BH. Trends in U.S. adolescents' media use, 1976-2016: the rise of digital media, the decline of TV, and the (Near) demise of print. *Psychol Pop Media Cult*. 2018. https://doi.org/10.1037/PPM0000203. Published online August 20.
- Englander E, Donnerstein E, Kowalski R, et al. Defining cyberbullying. *Pediatrics*. 2017;140(Supplement_2):S148–S151. https://doi.org/10.1542/PEDS.2016-1758U.
- Aboujaoude E, Savage MW, Starcevic V, Salame WO. Cyberbullying: review of an old problem gone viral. *J Adolesc Health*. 2015;57:10– 18. https://doi.org/10.1016/J.JADOHEALTH.2015.04.011.
- Nixon CL. Current perspectives: the impact of cyberbullying on adolescent health. Adolesc Health Med Ther. 2014;5:143. https:// doi.org/10.2147/AHMT.S36456.
- Soares S, Brochado S, Barros H, Fraga S. Does cyberbullying prevalence among adolescents relate with country socioeconomic and development indicators? an ecological study of 31 countries. *Violence Vict.*. 2017;32:771–790. https://doi.org/10.1891/0886-6708. VV-D-15-00139.
- Rice E, Petering R, Rhoades H, et al. Cyberbullying perpetration and victimization among middle-school students. *Am J Public Health*. 2015;105:e66–e72. https://doi.org/10.2105/AJPH.2014.302393.
- Schneider SK, O'donnell L, Stueve A, Coulter RWS. Cyberbullying, school bullying, and psychological distress: a regional census of high school students. *Am J Public Health*. 2012;102:171–177. https://doi.org/10.2105/AJPH.2011.300308.

- Abreu RL, Kenny MC. Cyberbullying and LGBTQ youth: a systematic literature review and recommendations for prevention and intervention. *J Child Adolesc Trauma*. 2017;11:81–97. https://doi.org/10.1007/S40653-017-0175-7.
- Barlett C, Coyne SM. A meta-analysis of sex differences in cyberbullying behavior: the moderating role of age. Aggress Behav. 2014;40:474–488. https://doi.org/10.1002/AB.21555.
- Guo S. A meta-analysis of the predictors of cyberbullying perpetration and victimization. *Psychol Sch.* 2016;53:432–453. https://doi. org/10.1002/PITS.21914.
- Fujikawa S, Mundy LK, Canterford L, et al. Bullying across late childhood and early adolescence: a prospective cohort of students assessed annually from grades 3 to 8. Acad Pediatr. 2021;21:344– 351. https://doi.org/10.1016/J.ACAP.2020.10.011.
- Kowalski RM, Dillon E, Macbeth J, et al. Racial differences in cyberbullying from the perspective of victims and perpetrators. *Am J Orthopsychiatry*. 2020;90:644–652. https://doi.org/10.1037/ ORT0000492.
- 14. Carter JM, Wilson FL. Cyberbullying: a 21st century health care phenomenon. *Pediatr Nurs*. 2015;41:115–125.
- Li Q. Bullying in the new playground: Research into cyberbullying and cyber victimisation. *Australas J Educ Technol*. 2007;23:435– 454. https://doi.org/10.14742/AJET.1245.
- Ng ED, Chua JYX, Shorey S. The Effectiveness of educational interventions on traditional bullying and cyberbullying among adolescents: a systematic review and meta-analysis.
 Trauma Violence Abuse. 2022;23:132–151. https://doi.org/10.1177/1524838020933867.
- Barch DM, Albaugh MD, Avenevoli S, et al. Demographic, physical and mental health assessments in the Adolescent Brain and Cognitive Development study: Rationale and description. *Dev Cogn Neu*rosci. 2018;32:55–66. https://doi.org/10.1016/j.dcn.2017.10.010.
- Stewart RW, Drescher CF, Maack DJ, et al. The development and psychometric investigation of the cyberbullying scale. J Interpers Violence. 2014;29:2218–2238. https://doi.org/10.1177/ 0886260513517552.
- Semega J, Kollar M, Creamer J, Mohanty A. Income and Poverty in the United States: 2018; 2019. Available at: https://www.census.gov/ library/publications/2019/demo/p60-266.html. Accessed August 9, 2022.
- Bagot KS, Matthews SA, Mason M, et al. Current, future and potential use of mobile and wearable technologies and social media data in the ABCD study to increase understanding of contributors to child health. *Dev Cogn Neurosci*. 2018;32:121–129. https://doi.org/10.1016/j.dcn.2018.03.008.
- Heeringa S, Berglund P.A guide for population-based analysis of the adolescent brain cognitive development (ABCD) study baseline data. bioRxiv. Published online February 2020:2020.02.10.942011. doi.org/10.1101/2020.02.10.942011.
- Carbone-Lopez K, Esbensen FA, Brick BT. Correlates and consequences of peer victimization: gender differences in direct and indirect forms of bullying. *Youth Violence Juv Justice*. 2010;8:332–350. https://doi.org/10.1177/1541204010362954.
- Wang P, Wang X, Lei L. Gender differences between student-student relationship and cyberbullying perpetration: an evolutionary perspective. *J Interpers Violence*. 2019;36:9187–9207. https://doi.org/10.1177/0886260519865970.
- Escortell R, Aparisi D, Martínez-Monteagudo MC, Delgado B. Personality traits and aggression as explanatory variables of cyberbullying in spanish preadolescents. *Int J Environ Res Public Health*. 2020;17:1–11. https://doi.org/10.3390/IJERPH17165705.
- Birkett M, Espelage DL, Koenig B. LGB and questioning students in schools: the moderating effects of homophobic bullying and school climate on negative outcomes. *J Youth Adolesc*. 2009;38:989. https://doi.org/10.1007/S10964-008-9389-1.
- Toomey RB, Russell ST. The role of sexual orientation in school-based victimization: a meta-analysis. *Youth Soc.* 2016;48:176–201. https://doi.org/10.1177/0044118X13483778.
- 27. Desmet A, Rodelli M, Walrave M. The moderating role of parenting dimensions in the association between traditional or cyberbullying

- victimization and mental health among adolescents of different sexual orientation. *Int J Environ Res Public Health*. 2021;18:1–20. https://doi.org/10.3390/IJERPH18062867.
- Tillyer MS, Wright EM. Intimate partner violence and the victimoffender overlap. *J Res Crime Delinq*. 2013;51:29–55. https://doi. org/10.1177/0022427813484315.
- Varjas K, Talley J, Meyers J, et al. High school students' perceptions of motivations for cyberbullying: an exploratory study. West J Emerg Med. 2010;11:269. Accessed March 14, 2022. /pmc/articles/ PMC2941365/.
- Hill D, Ameenuddin N, Chassiakos YR, et al. Media use in schoolaged children and adolescents. *Pediatrics*. 2016;138. https://doi.org/ 10.1542/PEDS.2016-2592.
- 31. Hutson E, Kelly S, Militello LK. Systematic review of cyberbullying interventions for youth and parents with implications for

- evidence-based practice. Worldviews Evidence-Based Nurs. 2018;15:72. https://doi.org/10.1111/WVN.12257.
- Schoeps K, Villanueva L, Prado-Gascó VJ, Montoya-Castilla I. Development of emotional skills in adolescents to prevent cyberbullying and improve subjective well-being. Front Psychol. 2018;9:2050. https://doi.org/10.3389/FPSYG.2018.02050/BIB-TEX.
- Ranney ML, Pittman SK, Riese A, et al. What counts?: a qualitative study of adolescents' lived experience with online victimization and cyberbullying. *Acad Pediatr.* 2020;20:485–492. https://doi.org/ 10.1016/J.ACAP.2019.11.001.
- 34. Trompeter N, Jackson E, Sheanoda V, et al. Cyberbullying prevalence in Australian adolescents: time trends 2015-2020. *J Sch Violence*. 2022;28:1–14. https://doi.org/10.1080/15388220.2022. 2075881.