



## King's Research Portal

*Document Version*  
Peer reviewed version

[Link to publication record in King's Research Portal](#)

*Citation for published version (APA):*

Black, E., & Sklar, E. I. (2016). Computational argumentation to support multi-party human-robot interaction: Challenges and advantages. In *Proceedings of the Groups in Human-Robot Interaction Workshop: A workshop at the IEEE International Symposium on Robot and Human Interactive Communication*

### **Citing this paper**

Please note that where the full-text provided on King's Research Portal is the Author Accepted Manuscript or Post-Print version this may differ from the final Published version. If citing, it is advised that you check and use the publisher's definitive version for pagination, volume/issue, and date of publication details. And where the final published version is provided on the Research Portal, if citing you are again advised to check the publisher's website for any subsequent corrections.

### **General rights**

Copyright and moral rights for the publications made accessible in the Research Portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognize and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the Research Portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the Research Portal

### **Take down policy**

If you believe that this document breaches copyright please contact [librarypure@kcl.ac.uk](mailto:librarypure@kcl.ac.uk) providing details, and we will remove access to the work immediately and investigate your claim.

# Computational argumentation to support multi-party human-robot interaction: challenges and advantages

Elizabeth Black<sup>1</sup> and Elizabeth I. Sklar<sup>1</sup>

**Abstract**—Recent work has explored the use of computational argumentation-based dialogues as a mechanism to support two-party human-robot interaction and collaborative decision making. Many real-world application scenarios involve interaction between multiple humans and multiple robots—not just two parties, i.e., not just one human and one robot. In this paper, a range of social issues are considered that arise in *multi-party* human-robot situations. These include issues of trust, privacy and ethics with respect to sharing information and modeling the beliefs of others. Using computational argumentation and argumentation-based dialogues can provide a sound basis for addressing the mitigating circumstances presented by these issues, and for reasoning under the uncertainties that these issues present. Here, a running example is developed, along with an approach for addressing the issues that is based on the application of computational argumentation strategies. A set of challenges are identified, and some directions for future research are proposed.

## I. INTRODUCTION

While in the past machines waited passively for our commands, we are moving quickly to a future where humans and machines work in *partnership*, where machines are proactive and guide humans’ activities [1]. These machines must be able to *justify* their choices and *explain* why a particular course of action is appropriate. Humans must be able to challenge these justifications and provide input into a machine’s decision-making process—and vice versa. As well, machines need to be able to take the *initiative* [2], [3] and promote new ideas or suggest new tasks or actions, without prompting from humans. *Computational Argumentation* theory is a natural choice to support such interactions: a key benefit of computational argumentation is its potential to act as a bridge to allow humans and machines to offer input into one another’s reasoning [4], since it formally characterises both aspects of human decision-making [5] and logical reasoning [6].

*Computational argumentation* [7] is a well-founded, logic-based methodology which had roots in philosophy long before being applied to the *multi-agent systems (MAS)* world. Argumentation provides a structured framework for *reasoning* in which participants state *conclusions* and provide *evidence* that supports those conclusions. *Argumentation-based dialogue* [8], [9], [10] is prevalent in MAS as an extension to classic *negotiation*. In a negotiation, agents can offer alternative claims back and forth, such as haggling over the price of a good. But in a negotiation framework, agents cannot explain their positions or exchange reasons for why or

how they arrived at their conclusions. In contrast, argumentation provides the facility to do exactly that. We believe that argumentation-based exchange provides a powerful means for humans to interact with agents.

In this paper, we are particularly interested in interactions between embodied agents—*robots*—and humans. Previous work has proposed the use of argumentation-based dialogue to support interaction between a single robot and a single human [11]; here, we consider the issues involved in moving to a *multi-party* application domain, where there may be more than one robot and/or more than one human. Several of the issues we consider are also applicable to more general multi-party dialogue situations (i.e., with *autonomous agents*, either virtual or embodied, as in physical robots, and/or humans), and have been considered elsewhere both in the multi-agent literature (e.g., [12], [13]) and in the linguistics literature (e.g., [14], [15]). We aim to identify some of the key challenges that are especially relevant to a *multi-party human-robot* setting and identify some potential directions of future research to address these challenges.

In the following section, we give a motivating example of an interaction involving two robots and two humans, which we use throughout the paper to illustrate the issues under discussion. Then in Section III, we give a brief review of work on two-party argumentation-based dialogue, focussing particularly on a recent proposal to support dialogues between a single human and a single robot [11]. In Section IV, we consider some of the key challenges that must be addressed in order to support multi-party argumentation-based dialogue, particularly those between multiple humans and multiple robots. In Section V, we briefly highlight areas of related work and summarise the primary issues we have identified for applying argumentation-based dialogue to support multi-party human-robot interaction. Finally, we outline directions for future research.

## II. MOTIVATING EXAMPLE

Consider an elderly woman, called “Ellie”, who has restricted mobility and lives at home, supported by a healthcare worker (“Sam”) who visits her daily. Ellie lives with two robots, which support her everyday activities, particularly when Sam is not present. One robot is a wheelchair robot, capable of navigating around Ellie’s house; the other is a mobile robot equipped with an arm and a gripper, capable of picking up objects, as well as navigation. For clarity, we’ll refer to the wheelchair robot as “Willie” and the manipulator robot as “Manny”. Both robots possess natural language generation and processing capabilities and are able

Department of Informatics, Faculty of Natural and Mathematical Sciences, King’s College London, Strand, WC2R 2LS, UK, {elizabeth.black, elizabeth.sklar}@kcl.ac.uk

to display different degrees of autonomy as appropriate to the situation<sup>1</sup>.

Ellie has some pills that she must take twice a day, but she cannot remember where they are. When Sam arrives, Ellie tells him that she has checked the kitchen, the bedroom and the bathroom, since those are the only rooms that she has visited today. Here, Willie interjects to remind Ellie that she watched television in the living room this morning, which Ellie disputes. It is unclear whether Ellie does not remember being in the living room or if she does not want Sam to know that she spent some idle time watching television. Sam believes that Willie's information is reliable, but he knows that Ellie does not like to appear idle or infirm, and he does not want to upset her by questioning her remark.

Sam suggests to Ellie that they repeat her search, explaining that he often finds things in places he has already searched, and suggests they visit the bedroom first, followed by the bathroom and then the kitchen. Ellie agrees and they start their search. Meanwhile, Manny takes the initiative to visit the living room and search for the pills. Manny then meets Sam and Ellie in the kitchen, having found the pills in the living room and retrieved them. Manny discreetly gives the pills to Sam, and leaves it to Sam to decide how to communicate to Ellie that the pills have been located.

This example highlights several social issues, specifically *trust*, *privacy* and *ethics*. Are Sam, Manny and Willie collectively displaying lack of trust in Ellie's judgement by searching for the pills in locations where Ellie told them she already looked? Is Willie revealing private information about Ellie by telling Sam that Ellie spent time watching television? Is it unethical for Sam to keep Ellie from knowing that Manny found the pills?

### III. TWO-PARTY ARGUMENTATION-BASED DIALOGUES

*Computational argumentation* is a well-studied form of reasoning that explicitly identifies both the justifications for any *claim* that is made by a particular argument, called its *support*, and any *conflicts* that exist between arguments [7], [16]. One can represent a set of arguments and the conflicts, or *attacks*, between them as a directed graph (referred to as an *argumentation framework*); such a graph can then be evaluated according to one of a range of *argumentation semantics*, in order to determine which arguments it is coherent to accept [6]. These semantics are based on the intuitive principles that it is not rational to accept any two arguments that are in conflict with each other, and that an argument which is attacked can only be accepted if all of its attacking arguments are themselves attacked by an accepted argument. Argumentation thus provides an intuitive mechanism for dealing with inconsistent, uncertain and incomplete knowledge, and, through structured *argumentation-based dialogues*, supports intelligent agents in exchanging beliefs, reaching agreements, making decisions and resolving conflicts of opinion [4].

<sup>1</sup>For the purposes of this example, we assume that these capabilities are more advanced than the current state-of-the-art.

Much of the existing work on formal argumentation-based dialogues comes from the multi-agent literature and defines two-party dialogue systems for achievement of a particular dialogue goal (e.g., to resolve some conflict of opinion [8] or to agree on some action [17]). These are typically defined in terms of a set of communicative acts (or *moves*) that the participants can make, a set of rules that determines which moves it is permissible to make at any point (the dialogue *protocol*), rules that determine the effect of making a move (typically defined in terms of the participants' dialogical *commitments*), and rules that determine when the dialogue terminates and what the outcome of the dialogue is [18]. This imposed dialogue structure goes some way towards reducing the complexity of how to determine which utterances to make and how to interpret received utterances, in comparison with completely flexible natural dialogues.

Achievement of an agent's dialogue goal typically depends on both the arguments that the agent chooses to make during the dialogue, determined by its *strategy*, and the arguments asserted by the other participant, its *interlocutor*. The strategising agent thus has the difficult problem of having to consider not only which arguments to assert but also the possible responses of its interlocutor [19]. Recent works have proposed methods for determining an agent's dialogue strategy that take into account the strategist's uncertain model of the other participant [20], [21], [22], while others have considered how such a model might be developed based on dialogue experience [23], [24].

Sklar & Azhar have recently developed a framework for argumentation-based dialogues between a single robot and a single human [11]. In this framework, a robot  $R$  holds a set of beliefs (denoted  $R.\Sigma$ ) which it uses to construct arguments. As part of this set of beliefs, the robot maintains a model of what it believes to be the beliefs of the human it is interacting with; a robot  $R$ 's model of a human  $H$  is denoted  $R.\Gamma(H)$ . The robot uses its beliefs and its model of the human to determine which type of dialogue they should engage in (chosen from the influential Walton & Krabbe dialogue taxonomy [25]): if the robot believes there to be disagreement over a particular belief, they may enter into a *persuasion* dialogue with the human where they can exchange arguments to resolve this disagreement; if the robot believes that the human knows the status of some belief that it is unaware of (or vice-versa), they may enter into an *information-seeking* dialogue with the aim of sharing this knowledge; finally, if the robot believes that neither itself nor the human is aware of the status of some belief, they may enter into an *inquiry* dialogue where they try to jointly construct an argument that supports the belief.

Using the *Treasure Hunt Game (THG)* domain, the dialogue framework of [11] has been implemented and evaluated in [26]. In this domain, the robot is physically located in the environment, which consists of a number of rooms connected via a corridor, in each of which there may be placed a treasure. The robot moves around the environment and collects sensor data which it shares with the human (who does not have physical access to the environment).

The human-robot team receives points for correctly identifying treasures and loses points for incorrectly identifying treasures. The robot has only a fixed amount of energy which is depleted through movement, sensing and communication. The human and robot, who interact through argumentation-based dialogues as described above, must work together in order to determine where the robot should look next and how it should get there, and then to decide whether any object present in that room is one of the searched-for treasures. In a user study reported in [26], human subjects played two games with two robots. One robot acted as a peer, collaborating with the human using the computational-argumentation-based dialogue framework described in [11]; the other robot acted as a servant, following the human’s commands without question. The interaction abilities of the first robot are greatly enhanced over traditional supervisory control, because the robot is able to disagree with the human’s action choices or opinions and suggest alternatives. The user study showed that the human-robot teams with the first style of robot performed significantly better than those with the second style of robot, across a range of objective performance measures. As well, in qualitative and survey (ranked) responses, users reported consistently greater trust in the first style of robot and greater confidence in their joint solutions.

#### IV. MULTI-PARTY ARGUMENT DIALOGUES: CHALLENGES

As discussed in the previous section, the majority of existing work on argumentation-based dialogue focuses on two-party situations. In this section, we consider some of the key challenges of developing frameworks for multi-party argumentation-based dialogue, particularly those that take place between multiple robots and humans in a physical environment.

##### A. Multiple hearer roles

In addition to the *speaker*, following Bell [14], we identify four different *roles* for participants in multi-party dialogues: *addressee*, *auditor*, *overhearer* and *eavesdropper*. Bell classifies these hearer roles, respectively, according to whether they are addressed (i.e., explicitly identified as a receiver of the message), ratified (i.e., an intended participant in the communication), or known (i.e., the speaker is aware of their receipt of the message) by the speaker. This classification is given in Table I.

	Known	Ratified	Addressed
Addressee	+	+	+
Auditor	+	+	–
Overhearer	+	–	–
Eavesdropper	–	–	–

TABLE I

BELL’S CLASSIFICATION OF HEARER ROLES [14, p. 160].

The possible hearer roles depend on the mode of communication. With *broadcast* messages, there may be multiple addressees, multiple auditors, multiple overhearers and

multiple eavesdroppers. If messages are sent *peer-to-peer*, then a single addressee is intended, and no auditors and/or overhearers are possible; though eavesdroppers are possible. (We do not consider overhearers to be possible in the peer-to-peer case because we assume the speaker will only send the message to the intended receivers of the message, i.e., those that are ratified; and so any other participant who receives the message must be an eavesdropper.) When communicating via a *forum*, multiple addressees, auditors, overhearers and eavesdroppers are possible, however the possibility of overhearers and eavesdroppers depends on whether the forum records and makes public the participants that have accessed the forum.

In our motivating example, messages are broadcast, meaning there are potentially many addressees, auditors, overhearers and eavesdroppers of each utterance. For example, if Willie reminds Ellie that she spent some time watching television in the living room, Ellie is the addressee of this communication, but both Sam and Manny are auditors, since Willie intends them to receive the communication and infer something from it. As we discuss further in the following sections, this multiplicity of hearer roles makes it harder (than in the two-party case) to determine appropriate rules to govern a multi-party dialogue system, harder to decide which utterances to make in such a dialogue and harder to maintain a model of the other participants in the dialogue.

##### B. Specifying the rules of a multi-party dialogue system

Argumentation-based dialogues are typically specified in terms of *axiomatic semantics*: the *moves* that can be made and the *rules* that determine when moves can be made and what effect making a move has on the dialogical commitments of the participants (e.g., [18]), essentially determining a set of *pre-conditions* and *post-conditions* for each type of move. While an agent’s dialogue goal may reference the private belief state of another participant, it is not appropriate for the pre- and post-conditions of a dialogue move to do so, in order that fulfillment of the conditions can be verified. Thus, these conditions are normally specified in terms of public elements of the dialogue (e.g., past moves and dialogical commitments publicly incurred during the dialogue).

In a two-party dialogue, the only hearer role is the *addressee* and it is reasonable to assume that both participants (speaker and addressee) have the same view of the dialogue history and of the dialogical commitments. In a multi-party dialogue, however, this is likely not to be the case, since participants can play different hearer roles at different points in the dialogue. One might consider, for instance, that an agent does not maintain a representation of parts of the dialogue history for which it were an overhearer<sup>2</sup>, or that the dialogical commitments known by a participant may similarly depend on their hearer role at the time the

<sup>2</sup>One reason for filtering the information stored is a practical constraint on an agent being able to manage large amounts of data in real time. A strategy of “remembering to forget” [27] could be implemented to ensure that agents maintain tractable amounts of information.

commitment was incurred. Considering again our motivating example where Willie reminds Ellie that she has spent time in the living room, we might assume that Willie’s intention with this remark is for Manny to accept this claim and subsequently act on it; however, as Manny is only an auditor in this case, perhaps Willie cannot be certain that Manny is aware of Willie’s commitment to this fact.

We should also consider the hearer role of participants when determining the dialogical commitments incurred. Consider the case where the speaker poses a question to a particular addressee; it may then be that the addressee now has a dialogical commitment to answer this question, but that this commitment can also be revoked if an overhearer of the question provides an answer.

This discussion suggests that when specifying the pre- and post-conditions of dialogue moves intended for multi-party dialogues, one must consider more than just a single hearer role. Furthermore, we may need to consider the possibility that a speaker may not be able to determine if certain post-conditions have been applied, for example in the case where a hearer perceives itself as an overhearer but is actually intended to be an auditor.

### C. Strategising with multiple hearers in mind

In addition to the issues discussed above regarding the specification of types of multi-party dialogues in terms of the moves that can be made and the dialogical commitments these incur, the design of dialogue strategies for a multi-party setting (i.e., how a participant determines which of the permissible moves to make) also requires us to consider the hearer roles of participants. In their *Informative Hypothesis* linguistic theory, Clark & Carlson propose that the design of utterances takes into account not only the addressee but also all hearers of the utterance, claiming that speakers “decide how to say what they say on the basis of what they know, believe and suppose that these hearers, in their assigned roles, know, believe, and suppose” [15, p. 342]. Clark & Carlson explain that, as we see in our motivating example, the potential difference in what is called the *common ground* between a speaker and a hearer in linguistic theories (i.e., their shared knowledge, assumptions and beliefs) makes it possible to convey different things to different hearers with the same utterance.

Thus, when Sam suggests to Ellie that they repeat her search, as an auditor of the communication, Manny is able to make inferences from its common ground with Sam—which includes the beliefs that Ellie does not like to appear idle or infirm, that revealing Ellie’s memory to be at fault may have this effect, that Willie’s memory is more reliable, and that it is important to find the pills. Manny believes that Sam does not believe that they will find the pills by repeating Ellie’s search, but would not object if Manny searched for them in the living room. In order to identify their common ground, Manny must maintain a model of Sam’s beliefs—represented as  $Manny.\Gamma(Sam)$ , as discussed in Section III.

When engaged in multi-party dialogues, we see then that one may desire to achieve different dialogue goals directed at

different participants within the same dialogue, and perhaps even with the same utterance. This makes deciding which utterances to make even harder than in the two-party case. This decision is further compounded by the need to maintain and reason with models of each of the other participants, which we discuss further in the following section.

### D. Higher order modelling of other parties

When participating in an argumentation-based dialogue, one must choose particular moves to make in order to try to achieve some dialogue goal. Typically, whether a particular utterance will help in the achievement of a goal will depend on the beliefs, and perhaps the goals and intentions, of the hearers. We see this in our motivating example when Sam persuades Ellie to repeat her search by letting her know that he often finds things in places he has already searched for them in. Had Sam simply suggested they repeat Ellie’s search, she would have refused, believing he was suggesting she was forgetful or infirm; however, by making reference to his own shortcomings in searching for things, Sam successfully counters this belief.

As discussed in Section III, recent works on strategy for two-party argumentation-based dialogues [20], [21], [22] have considered the use of an uncertain (probabilistic) model of one’s interlocutor to guide move selection, where that model may represent what the strategist believes its interlocutor’s beliefs to be, what its goals are, and perhaps even a nested model of what it believes to be its interlocutor’s model of itself. In the multi-party setting, not only does one have many potential interlocutors to consider, but also it can be important to consider what each believes about the other potential interlocutors. This is illustrated in our motivating example. In order to recognise Sam’s desire for Manny to search for the pills in the living room, Manny must believe that Sam believes that Ellie does not want to appear infirm and must also believe that Sam finds Willie’s claim that Ellie spent time in the living room to be more reliable than Ellie’s denial of this. Furthermore, Sam must believe that Manny has these beliefs, in order to correctly anticipate that getting Ellie to agree to retrace her search will result in Manny searching for the pills in the living room. We can represent this fourth-order belief—Sam’s belief that Manny believes that Sam believes that Ellie does not want to appear infirm—as:

$$goal(not\_infirm) \in Sam.\Gamma(Manny.\Gamma(Sam.\Gamma(Ellie)))$$

This requirement for higher-order beliefs poses several challenges, particularly for resource-bounded robots. One key challenge is how to develop and update a model of the other participants. This is an open problem within the two-party argumentation-based dialogue field—and it is further complicated in the multi-party setting by the need for beliefs about others’ beliefs about others. Different hearer roles must also be considered here, since (as discussed above) one might assume an utterance has a different effect on a hearer according to their role; and these roles may not be known (or static). Determining what depth to model the higher-order

beliefs to and the development of efficient mechanisms for reasoning with such beliefs are further challenges.

## V. DISCUSSION

This paper provides a preliminary discussion of issues relevant to multi-party dialogue, applied to human-robot interaction, particularly in situations where there is more than one robot and/or more than one human. The research on multi-party dialogues is vast and interdisciplinary. From the perspective of multi-party dialogues between *software agents*, related work has examined the environment as an active medium for managing communication [13], [28]; publish/subscribe patterns for selectively sending and receiving messages [29]; blackboard or on-line forum approaches to sending messages to large groups (selective or open) [12], [13]; broadcast mechanisms to send messages to anyone within transmission range [30]; and insect-inspired *stigmergic* approaches, where agents deposit information in their environment for others to retrieve [31]. Within the *computational argumentation* field, a dialogue system has been proposed with which multiple agents can resolve disputes regarding the classification of particular cases [32].

From the perspective of multi-party dialogues between *humans*, relevant literature comes from the psychology and sociology communities, among others. This includes research on audience roles [14] and consideration of targetted speech acts and incidental hearers [15]. From the perspective of combined multi-party *human-agent* dialogues, early work investigates natural language approaches to interaction in virtual worlds [33]. Relevant work from a multi-party *human-robot interaction* perspective includes consideration of how humans' attitudes towards robots changes as the numbers of humans and/or robots involved in the interaction changes [34], and how a data-driven perceptual system that has been trained in a group setting performs in a one-on-one setting and vice-versa [35]. Investigation of factors which impact all multi-party dialogue between humans and machines includes: *natural language* [36], [37], [38] to enable more fluid interaction; *turn-taking* [39], [40] to support flexible change in initiative; and *multi-modal interaction* [41], [42], to incorporate non-verbal communication such as gestures and facial expressions.

In this paper, we have presented a brief overview of two-party argumentation-based dialogue, including a description of a framework specifically intended for human-robot interaction [11], which has been shown experimentally to improve both the outcome of human-robot team performance and the human's perception of working with the robot [26]. We discussed some of the key challenges that arise when applying argumentation-based dialogue in a multi-party setting, which are particularly prevalent in a multi-party human-robot setting where one can expect messages to often be broadcast, thus increasing the possibility of multiple hearer roles.

A common, but not always realistic, assumption in two-party argumentation-based agent dialogue, is that the knowledge available to the participants is static (a notable exception to this is Walton *et al.*'s model of a deliberation dialogue

that accounts for dynamic knowledge [43]). In order to be practically useful in real-world settings, the specification of multi-party argumentation-based dialogues must allow for changes to the participants' knowledge about the world. Future work will examine multi-party argumentation-based dialogue in *dynamic* situations, where the state of the world may change during the dialogue and belief revision is necessary for reasons other than the conclusion of a dialogue.

*Degrees of trust* can be associated with several different aspects relevant to communication and dialogue. These include: trust in information about the environment (such as a robot's sensor data), trust in the communication medium (such as wireless network connectivity), trust in one's model of another participant and trust in a participant as a knowledge source or as an actor or hearer in particular roles. The last two, in particular, can be context dependent. For example, we might trust a robot to pick up the right bottle of pills from our kitchen table, but not necessarily from a crowded shelf in a chemist. Future work will examine the notion of degrees of trust between different participants in multi-party dialogues, associated with varying contexts, initially exploring the aspects listed above.

The immediate next step with this research is to adapt the dialogue framework of Sklar & Azhar [11] in a multi-party implementation. This will require clarification of locution sequences and modification of pre- and post-conditions to include multiple roles of *hearers* in multi-party situations. The longterm goal is to apply this work in scenarios similar to the motivating example, with physical robots and human subjects. We have recently begun designing studies with colleagues in our university's School of Nursing, in which we will implement and test our theoretical model with two types of patients. Our goal is to evaluate the effectiveness of argumentation-based multi-party human-robot dialogue for improving patient compliance with treatment recommendations. The first case will focus on patients with diabetic foot ulcers who have been prescribed an offloading brace and the second case will focus on geriatric patients who are participating in fall prevention programmes. With both cases, the aim is to integrate a robot and intelligent sensors as non-invasive participants in a patient's treatment plan. The robot and the medical team (nurses and clinicians) who oversees the patient's treatment will collaboratively track the patient's compliance (with wearing the brace or performing strength-training exercises), and the system will employ argumentation-based dialogue to encourage the patient to adhere to the recommended treatment. The robot and intelligent sensors will work in tandem, modelling the patient's behaviour and deciding when and how to provide feedback to the medical team, as well as incentives and rewards to the patient.

## REFERENCES

- [1] N. R. Jennings, L. Moreau, D. Nicholson, S. Ramchurn, S. Roberts, T. Rodden, and A. Rogers, "Human-agent collectives," *Communications of the ACM*, vol. 57, no. 12, pp. 80–88, 2014.

- [2] J. R. Carbonell, "Mixed-Initiative Man-Computer Instructional Dialogues," Bolt Beranek and Newman, Inc (BBN), Tech. Rep. 11399, 1971.
- [3] E. Horvitz, "Principles of Mixed-Initiative User Interfaces," in *Proceedings of the SIGCHI conference on Human Factors in Computing Systems*. ACM, 1999, pp. 159–166.
- [4] S. Modgil, F. Toni, F. Bex, I. Bratko, C. I. Chesñevar, W. Dvořák, M. A. Falappa, X. Fan, S. A. Gaggl, A. J. García *et al.*, "The added value of argumentation," in *Agreement Technologies*, S. Ossowski, Ed. Springer Netherlands, 2013, pp. 357–403.
- [5] H. Mercier and D. Sperber, "Why do humans reason? Arguments for an argumentative theory," *Behavioral and Brain Sciences*, vol. 34, no. 02, pp. 57–74, 2011.
- [6] P. M. Dung, "On the acceptability of arguments and its fundamental role in nonmonotonic reasoning, logic programming and  $n$ -person games," *Artificial Intelligence*, vol. 77, pp. 321–357, 1995.
- [7] I. Rahwan and G. R. Simari, Eds., *Argumentation in Artificial Intelligence*. Springer Verlag, 2009.
- [8] H. Prakken, "Formal systems for persuasion dialogue," *Knowledge Engineering Review*, vol. 21, no. 2, 2006.
- [9] P. McBurney and S. Parsons, "Dialogue games in multi-agent systems," *Informal Logic*, vol. 22, no. 3, pp. 257–274, 2002.
- [10] J. Hulstijn, "Dialogue models for inquiry and transaction," Ph.D. dissertation, Universiteit Twente, 2000.
- [11] E. I. Sklar and M. Q. Azhar, "Argumentation-based dialogue games for shared control in human-robot systems," *Journal of Human-Robot Interaction*, vol. 4, no. 3, pp. 120–148, 2015.
- [12] F. P. Dignum and G. A. Vreeswijk, "Towards a testbed for multi-party dialogues," in *Advances in Agent Communication*, ser. Lecture Notes in Computer Science, F. Dignum, Ed. Springer Berlin Heidelberg, 2004, vol. 2922, pp. 212–230.
- [13] M.-P. Huget and Y. Demazeau, "First steps towards multi-party communication," in *Agent Communication*, ser. Lecture Notes in Computer Science, R. van Eijk, M.-P. Huget, and F. Dignum, Eds. Springer Berlin Heidelberg, 2005, vol. 3396, pp. 65–75.
- [14] A. Bell, "Language style as audience design," *Language in Society*, vol. 13, no. 2, pp. 145–204, 1984.
- [15] H. H. Clark and T. B. Carlson, "Hearers and speech acts," *Language*, vol. 58, no. 2, pp. 332–373, 1982.
- [16] T. Bench-Capon and P. E. Dunne, "Argumentation in artificial intelligence," *Artificial Intelligence*, vol. 171, no. 1015, pp. 619 – 641, 2007, argumentation in Artificial Intelligence.
- [17] E. Black and K. Atkinson, "Choosing persuasive arguments for action," in *The 10th International Conference on Autonomous Agents and Multiagent Systems - Volume 3*, ser. AAMAS '11. Richland, SC: International Foundation for Autonomous Agents and Multiagent Systems, 2011, pp. 905–912.
- [18] P. McBurney and S. Parsons, "Dialogue games for agent argumentation," in *Argumentation in Artificial Intelligence*, I. Rahwan and G. Simari, Eds. Springer, 2009, pp. 261–280.
- [19] M. Thimm, "Strategic argumentation in multi-agent systems," *Künstliche Intelligenz, Special Issue on Multi-Agent Decision Making*, vol. 28, no. 3, pp. 159–168, 2014.
- [20] T. Rienstra, M. Thimm, and N. Oren, "Opponent models with uncertainty for strategic argumentation," in *Proceedings of the 23rd International Joint Conference on Artificial Intelligence*, 2013, pp. 332–338.
- [21] E. Hadoux, A. Beynier, N. Maudet, P. Weng, and A. Hunter, "Optimization of probabilistic argumentation with markov decision models," in *International Joint Conference on Artificial Intelligence*, 2015, pp. 2004–2010.
- [22] E. Black, A. Coles, and S. Bernardini, "Automated planning of simple persuasion dialogues," in *Computational Logic in Multi-Agent Systems*. Springer LNAI 8624, 2014, pp. 87–104.
- [23] E. Black and A. Hunter, *Theory and Applications of Formal Argumentation: Third International Workshop, TFAA 2015, Buenos Aires, Argentina, July 25-26, 2015, Revised Selected Papers*. Springer International Publishing, 2015, ch. Reasons and Options for Updating an Opponent Model in Persuasion Dialogues, pp. 21–39.
- [24] C. Hadjinikolis, Y. Siantos, S. Modgil, E. Black, and P. McBurney, "Opponent modelling in persuasion dialogues," in *Proceedings of the Twenty-Third International Joint Conference on Artificial Intelligence*, ser. IJCAI '13. AAAI Press, 2013, pp. 164–170.
- [25] D. N. Walton and E. C. W. Krabbe, *Commitment in Dialogue: Basic Concepts of Interpersonal Reasoning*. SUNY Press, 1995.
- [26] M. Q. Azhar, "Toward an argumentation-based dialogue framework for human-robot collaboration," Ph.D. dissertation, City University of New York, 2015.
- [27] B. Smyth and M. T. Keane, "Remembering to forget," in *Proceedings of the 14th International Joint Conference on Artificial Intelligence (IJCAI)*, 1995, pp. 377–382.
- [28] J. Saunier, F. Balbo, and S. Pinson, "A formal model of communication and context awareness in multiagent systems," *Journal of Logic, Language and Information*, vol. 23, no. 2, pp. 219–247, 2014.
- [29] L. Búrdalo, A. Terrasa, V. Julián, and A. García-Fornes, "Trammas: A tracing model for multiagent systems," *Engineering Applications of Artificial Intelligence*, vol. 24, no. 7, pp. 1110–1119, 2011.
- [30] K. Kamali, X. Fan, and J. Yen, "Towards a theory for multiparty proactive communication in agent teams," *International Journal of Cooperative Information Systems*, vol. 16, no. 02, pp. 271–298, 2007.
- [31] L. Tummolini, C. Castelfranchi, A. Ricci, M. Viroli, and A. Omicini, "'Exhibitionists' and 'Voyeurs' do it better: A shared environment for flexible coordination with tacit messages," in *Environments for Multi-Agent Systems*, ser. Lecture Notes in Computer Science, D. Weyns, H. Van Dyke Parunak, and F. Michel, Eds. Springer Berlin Heidelberg, 2005, vol. 3374, pp. 215–231.
- [32] M. Wardeh, T. Bench-Capon, and F. Coenen, *Argumentation in Multi-Agent Systems: 6th International Workshop, ArgMAS 2009, Budapest, Hungary, May 12, 2009. Revised Selected and Invited Papers*. Berlin, Heidelberg: Springer Berlin Heidelberg, 2010, ch. Multi-Party Argumentation from Experience, pp. 216–235.
- [33] D. Traum and J. Rickel, "Embodied agents for multi-party dialogue in immersive virtual worlds," in *Proceedings of the 1st International Joint Conference on Autonomous Agents and Multiagent Systems*. ACM, 2002, pp. 766–773.
- [34] W. L. Chang, J. P. White, J. Park, A. Holm, and S. Sabanovic, "The effect of group size on people's attitudes and cooperative behaviors toward robots in interactive gameplay," in *The 21st IEEE International Symposium on Robot and Human Interactive Communication, IEEE RO-MAN 2012, Paris, France, September 9-13, 2012*. IEEE, 2012, pp. 845–850.
- [35] I. Leite, M. McCoy, D. Ullman, N. Salomons, and B. Scassellati, "Comparing models of disengagement in individual and group interactions," in *Proceedings of the 10th ACM/IEEE International Conference on Human-Robot Interaction*. ACM, 2015, pp. 99–105.
- [36] D. Bohus, A. Raux, T. K. Harris, M. Eskenazi, and E. I. Rudnicky, "Olympus: an open-source framework for conversational spoken language interface research," in *HLT-NAACL 2007 Workshop on Bridging the Gap: Academic and Industrial Research in Dialog Technology*, 2007.
- [37] O. Lemon, A. Gruenstein, and S. Peters, "Collaborative Activities and Multi-tasking in Dialogue Systems," *Traitement Automatique des Langues, Special Issue on Dialogue*, vol. 43, no. 2, 2002.
- [38] M. Scheutz, R. Cantrell, and P. Schermerhorn, "Toward Humanlike Task-Based Dialogue Processing for Human Robot Interaction," *AI Magazine*, vol. 32, no. 4, pp. 77–84, 2011.
- [39] G. R. Jonsdottir, K. R. Thorisson, and E. Nivel, "Learning smooth, human-like turntaking in realtime dialogue," in *Proceedings of Intelligent Virtual Agents (IVA)*. Springer Berlin Heidelberg, 2008, pp. 162–175.
- [40] A. Thomaz and C. Chao, "Turn Taking Based on Information Flow for Fluent Human-Robot Interaction," *AI Magazine*, vol. 32, no. 4, pp. 53–63, 2011.
- [41] B. Mutlu, T. Shiwa, T. Kanda, H. Ishiguro, and N. Hagita, "Footing in human-robot conversations: how robots might shape participant roles using gaze cues," in *Proceedings of the 4th ACM/IEEE International Conference on Human-Robot Interaction (HRI)*. ACM, 2009, pp. 61–68.
- [42] R. Simmons, M. Makatchev, R. Kirby, M. K. Lee, I. Fanaswala, B. Browning, J. Forlizzi, and M. Sakr, "Believable Robot Characters," *AI Magazine*, vol. 32, no. 4, pp. 39–52, 2011.
- [43] D. Walton, A. Toniolo, and T. J. Norman, "Missing phases of deliberation dialogue for real applications," in *Proceedings of the 11th International Workshop on Argumentation in Multi-Agent Systems*, 2014.