



## King's Research Portal

DOI:

[10.1016/j.cmi.2017.03.013](https://doi.org/10.1016/j.cmi.2017.03.013)

*Document Version*

Peer reviewed version

[Link to publication record in King's Research Portal](#)

*Citation for published version (APA):*

Charani, E., Tarrant, C., Moorthy, K., Sevdalis, N., Brennan, L., & Holmes, A. H. (2017). Understanding antibiotic decision making in surgery – a qualitative analysis. *CLINICAL MICROBIOLOGY AND INFECTION*. Advance online publication. <https://doi.org/10.1016/j.cmi.2017.03.013>

### **Citing this paper**

Please note that where the full-text provided on King's Research Portal is the Author Accepted Manuscript or Post-Print version this may differ from the final Published version. If citing, it is advised that you check and use the publisher's definitive version for pagination, volume/issue, and date of publication details. And where the final published version is provided on the Research Portal, if citing you are again advised to check the publisher's website for any subsequent corrections.

### **General rights**

Copyright and moral rights for the publications made accessible in the Research Portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognize and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the Research Portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the Research Portal

### **Take down policy**

If you believe that this document breaches copyright please contact [librarypure@kcl.ac.uk](mailto:librarypure@kcl.ac.uk) providing details, and we will remove access to the work immediately and investigate your claim.

See discussions, stats, and author profiles for this publication at: <https://www.researchgate.net/publication/315507334>

# Understanding antibiotic decision making in surgery – a qualitative analysis

Article in *Clinical Microbiology and Infection* · March 2017

DOI: 10.1016/j.cmi.2017.03.013

CITATION

1

READS

41

6 authors, including:



**Esmita Charani**

Imperial College London

66 PUBLICATIONS 884 CITATIONS

[SEE PROFILE](#)



**Nick Sevdalis**

King's College London

380 PUBLICATIONS 6,660 CITATIONS

[SEE PROFILE](#)

Some of the authors of this publication are also working on these related projects:



Imperial College Real-Time Enhanced Antimicrobial ConTroller (IC-REACT) [View project](#)



Safe surgery checklist [View project](#)

All content following this page was uploaded by [Nick Sevdalis](#) on 03 April 2017.

The user has requested enhancement of the downloaded file.

# Accepted Manuscript

Understanding antibiotic decision making in surgery – a qualitative analysis

E. Charani, C. Tarrant, K. Moorthy, N. Sevdalis, L. Brennan, A.H. Holmes

PII: S1198-743X(17)30182-9

DOI: [10.1016/j.cmi.2017.03.013](https://doi.org/10.1016/j.cmi.2017.03.013)

Reference: CMI 897

To appear in: *Clinical Microbiology and Infection*


Received Date: 15 February 2017

Revised Date: 12 March 2017

Accepted Date: 16 March 2017

Please cite this article as: Charani E, Tarrant C, Moorthy K, Sevdalis N, Brennan L, Holmes AH, Understanding antibiotic decision making in surgery – a qualitative analysis, *Clinical Microbiology and Infection* (2017), doi: [10.1016/j.cmi.2017.03.013](https://doi.org/10.1016/j.cmi.2017.03.013).

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



1 **Title:** Understanding antibiotic decision making in surgery – a qualitative  
2 analysis

3

4 Authors: E Charani<sup>1\*</sup>, C Tarrant<sup>2</sup>, K Moorthy<sup>3</sup> N Sevdalis<sup>4</sup>, L Brennan<sup>5</sup>, A. H  
5 Holmes<sup>1</sup>

6

7 <sup>1</sup> NIHR Health Protection Research Unit in Antimicrobial Resistance and Healthcare

8 Associated Infection, Department of Medicine, Imperial College, London

9 [e.charani@imperial.ac.uk](mailto:e.charani@imperial.ac.uk)

10 [alison.holmes@imperial.ac.uk](mailto:alison.holmes@imperial.ac.uk)

11 <sup>2</sup> Department of Health Sciences, University of Leicester [ccp3@leicester.ac.uk](mailto:ccp3@leicester.ac.uk)

12 <sup>3</sup> Department of Surgery and Cancer, Imperial College Healthcare NHS Trust, London

13 [k.moorthy@imperial.ac.uk](mailto:k.moorthy@imperial.ac.uk)

14 <sup>4</sup> Centre for Implementation Science, Health Service and Population Research Department,

15 King's College London [nick.sevdalis@kcl.ac.uk](mailto:nick.sevdalis@kcl.ac.uk)

16 <sup>5</sup> President of the Royal College of Anaesthetists Department of Anaesthesia, Cambridge

17 University Teaching Hospitals [president@rcoa.ac.uk](mailto:president@rcoa.ac.uk)

18 **Corresponding author:**

19 \*Esmita Charani

20 Address: NIHR Health Protection Research Unit in Antimicrobial Resistance and Healthcare

21 Associated Infection, Du Cane Road, 8<sup>th</sup> Floor Commonwealth Building, Department of

22 Medicine, Imperial College, London, W12 OHS UK

23 Email: [e.charani@imperial.ac.uk](mailto:e.charani@imperial.ac.uk)

24 Tel: +447958317570

25

26

27

1 **Abstract**

2 **Objective** To investigate the characteristics and culture of antibiotic decision making in the  
3 surgical specialty.

4 **Methods** A qualitative study including ethnographic observation and face to face interviews  
5 with participants from six surgical teams at a teaching hospital in London was conducted.

6 Over a three month period: 1) thirty ward rounds (WRs) (100 hours) were observed, 2) face-  
7 to-face follow up interviews took place with thirteen key informants, 3) multidisciplinary  
8 meetings on the management of surgical patients and daily practice on wards were observed.  
9 Applying these methods provided rich data for characterising the antibiotic decision making in  
10 surgery and enabled cross-validation and triangulation of the findings. Data from the interview  
11 transcripts and the observational notes were coded and analysed iteratively until saturation  
12 was reached.

13 **Results** The surgical team is in a state of constant flux with individuals having to adjust to the  
14 context in which they work. The demands placed on the team to be in the operating room,  
15 and to address the surgical needs of the patient means that the responsibility for antibiotic  
16 decision making is uncoordinated and diffuse. Antibiotic decision making is considered by  
17 surgeons as a secondary task, commonly delegated to junior members of their team and  
18 occurs in the context of disjointed communication.

19 **Conclusion** There is lack of clarity around medical decision making for treating infections in  
20 surgical patients. The result is sub-optimal and uncoordinated antimicrobial management.  
21 Developing the role of a perioperative clinician may help improve patient level outcomes and  
22 optimise decision making.

23

## 1 Introduction

2 A major proportion of the antibiotics prescribed within hospitals is for surgical patients<sup>1-3</sup>.  
3 Inappropriate antibiotic prescribing in surgery is widely reported, with patients at risk of  
4 receiving prolonged durations of antibiotics for prophylactic and therapeutic indications<sup>2,3</sup>. In  
5 addition, post-operative infections remain one of the most common and costly hospital  
6 acquired infections, and are associated with significant morbidity and mortality<sup>4-8</sup>. Despite  
7 numerous interventions, antibiotic prescribing in hospitals remains suboptimal<sup>9</sup>. Studies on  
8 antibiotic prescribing in surgical teams tend to focus primarily on improving surgical  
9 prophylaxis in the operating room (OR) and reducing surgical site infections (SSI)<sup>9-12</sup>. Unlike  
10 primary care, where clinical intervention largely occurs within 1:1 patient-physician  
11 consultations, in secondary care most of the clinical interventions for a patient are performed  
12 by several teams of healthcare professionals. This 'shared decision making' within and across  
13 teams can lead to gaps in practice and expose areas of weakness in communication<sup>13</sup>.  
14 Surgical checklists such as the World Health Organization's Surgical Safety Checklist, have  
15 been introduced to make sure key elements of care, including prescribing antibiotic  
16 prophylaxis, are not missed<sup>14</sup>. However, recent studies on the implementation of the WHO  
17 checklist have demonstrated suboptimal use of this simple intervention<sup>14-16</sup>. Though  
18 interventions have been developed to improve effectiveness of surgical teams and their use  
19 of quality and safety improvement tools<sup>14,17,18</sup>, there remains a gap in research. The  
20 published studies often neglect the contextual and cultural factors that underpin behaviours in  
21 general and antibiotic prescribing behaviours in particular<sup>19,20</sup>. Implementing interventions  
22 that attempt to change the behaviours of healthcare professionals with no knowledge of the  
23 factors that actually influence practice, including its context, is ineffective<sup>21</sup>.  
24  
25 The surgical ward round (WR) is a key component of the care of the surgical inpatient. Critical  
26 decisions regarding the clinical management of the patient, e.g. treatment of infections, are  
27 made on the WR and it provides a regular opportunity for the team responsible for the care of  
28 the patient to come together to discuss the patient<sup>22,23</sup>. One recent qualitative study  
29 performed in surgical WRs investigated the key challenges, including the variability in WR  
30 practice, faced by patients and healthcare professionals<sup>24</sup>. The evidence suggests there are

1 problems in surgical WRs and recommendations have been made to improve them –  
2 including WR standardization<sup>24</sup>. To date, antibiotic decision making on the WR has not been  
3 investigated – this is what this study sets out to address.

4

5 We report here on an ethnographic study of the surgical WR. Ethnography was selected as it  
6 describes culture and context<sup>25</sup>. Understanding and addressing culture will help develop  
7 theories which inform interventions that are tailored to the context in which they are expected  
8 to be implemented. The aim of the study was to investigate the impact of culture and team  
9 dynamics of the surgical WR on antibiotic decision making.

10

## 11 **Methods**

### 12 The setting

13 This study was conducted at Imperial College Healthcare National Health Service hospitals.  
14 The hospitals operate across a 1300 bed multisite healthcare organisation. The same  
15 organisational structure and antibiotic stewardship programme, including specialist  
16 pharmacists, bespoke guidelines and microbiology services are implemented across all the  
17 hospitals<sup>26</sup>.

18

### 19 Inclusion and exclusion criteria

20 Using purposive sampling methods, surgical teams were selected for inclusion in the study.  
21 All healthcare professionals who attended the WRs were eligible to participate in the study.  
22 Full ethical approval was obtained from the North Yorkshire and the Humber Research Ethics  
23 Committee prior to data collection. Full informed consent was obtained from all study  
24 participants prior to inclusion in the study.

### 25 Ethnographic observation and semi-structured interview methodology

26 An ethnographic study design was applied which included non-participant observations,  
27 interviews and documentary analysis. One researcher with background in pharmacy and  
28 training in ethnography (EC) conducted all the fieldwork, including non-participant  
29 observations on the wards, and face-to-face interviews with key informants. Field notes were  
30 typed by the researcher on the day of the observation to enable a rich and accurate

1 documentation of the data. Interviews were conducted with a purposive sample of key  
2 informants who participated in the decision making on the ward. The interviews were semi-  
3 structured with an interview guide, developed through review of literature and built upon  
4 previous work of the research team<sup>19</sup>. Open ended questions were used as prompts to  
5 explore the participants' views, perceptions and experiences of antibiotic decision making in  
6 surgery and the behavioural determinants that motivated the participants as individuals and  
7 as members of a team. The interviews were performed after the observations were  
8 completed and the interview guide was modified to include any key points from the  
9 observations that required further investigation. Interviews were recorded and transcribed  
10 verbatim. The transcripts and the field notes were anonymised. Handover sheets,  
11 multidisciplinary team meeting notes and the policy and guidelines on antibiotic prescribing  
12 were collected to provide contextual knowledge of the processes. These different methods  
13 enabled cross-validation and triangulation of the findings.

14

#### 15 Analysis

16 A constant comparative method was used for the analysis of the emerging themes<sup>27</sup> aided by  
17 Nvivo 11 software. The field notes from the WR observation, the data from the documentary  
18 analysis, and the transcripts from the interviews were openly coded to identify key concepts,  
19 which were developed into themes. The analysis was conducted using an iterative and  
20 recursive process of moving between the coded data and the higher level themes, until the  
21 themes, and the relationship between the themes, reached saturation (i.e. no new themes or  
22 inter-relationships between them were identified). Coding and analysis was conducted by EC,  
23 with the coding and the interpretation checked and reviewed by CT and AH.

24

#### 25 **Results**

##### 26 Ward round participants and demographics

27 Thirty WRs, over 100 hours, were observed, involving six surgeons and their teams (Table 1).  
28 Acute surgical and elective WRs were observed. All adult patients admitted to the team for  
29 emergency and elective surgery, and for non-surgical care e.g. cholangitis, cholecystitis etc.  
30 were included in the study. Over 50 hours of observation was conducted on the ward and in



1 handover and team meetings. Thirteen key informants were interviewed, including five  
2 consultant surgeons, three registrars, two nurses, two junior doctors, and the ward  
3 pharmacist. In the UK, doctor training includes, 2 years of foundation training (junior doctor),  
4 and six years of specialist training (registrar), before qualification as a consultant.

#### 5 Describing the surgical ward practices

6 The surgical pathway is complex and includes many actors and actions along the patient  
7 pathway that are directly related to infection management. The multidisciplinary input into the  
8 care of the surgical patient though missing from the ward rounds, cannot be ignored. The  
9 pharmacy, microbiology laboratory, anaesthesiology, and nursing staff provide input into  
10 patient care in course of the patient's stay. Mapping a causal diagram for infection as an  
11 outcome in surgical patients highlights the key variables that must be included in antibiotic  
12 decision making (Figure 1).

13

14 The acute surgical ward round started at 7.30 each morning, at the same time as the ward  
15 nursing handover. The surgical WR varied in the number of people attending, the number of  
16 wards visited, and its duration (Table 1). The WR team consistently comprised doctors in  
17 substantive posts within the surgical team, locum doctors and medical students. The nurses  
18 that attended most frequently were the advanced practitioner nurses (APN) attached to the  
19 surgical teams and occasionally the ward matron. The APN model is adopted by the UK  
20 healthcare system to meet its increasing demands. It refers to nurses, with additional  
21 qualifications and training who can take some of the responsibilities of junior doctors. No  
22 other healthcare professionals were present on the WRs. At the time of this study, the  
23 organization had electronic medical records and prescribing. The analysis identified four key  
24 themes in relation to antibiotic management in surgery: 1) working in a constant state of flux;  
25 2) communication jigsaw; 3) delegating antibiotic management; and 4) the need for an  
26 intervention.

27

#### 28 Working in a constant state of flux

29 There is a hierarchy as to who leads the WR, but this is a shifting hierarchy whereby people  
30 are promoted or demoted from their position based on who is present on the WR. For

1 example, if the recently appointed surgeon is leading the WR, and then a more senior  
2 surgeon joins, the line of authority is shifted upwards to the more senior surgeon. Likewise, if  
3 the surgeon leading the WR is called away e.g. to the OR, the line of authority shifts  
4 downwards and people must act up, e.g. the registrar takes on the role of the surgeon, the  
5 junior doctor 'becomes' the registrar and the medical student 'becomes' the junior doctor. The  
6 roles and responsibilities thus constantly shift. What does not stop or change is the work, the  
7 patients must be seen and decisions made regardless of who is on the round (Table 2, T1a).

8

9 The frequent use of locums also means that often the teams are working with gaps in care, as  
10 the locum doctors are often not familiar with patients or with local working practices (Table2,  
11 T1 b & T1c). The senior team presence is vital to effective direction (Table2, T1d), but often  
12 this is not possible (Table 2, T1e).

### 13 Communication jigsaw

14 Most of the time one or more members of the surgical team are unable to participate in ward  
15 rounds as they are busy performing surgery. WRs are often rushed, interrupted, and  
16 dispersed and reconvened because of demands for the senior team to be in the OR (Table 2,  
17 T2a). The constant disruption and people leaving and joining the WR means that members of  
18 staff will rarely be present for the entire WR. Junior doctors often shoulder the responsibility  
19 for keeping track of and actioning decisions made, but they are commonly sent from the WR  
20 to chase different tasks, or are omitted from critical conversations, and the thread of continuity  
21 in the WR is lost (Table 2, T2b & T2c).

22

23 Because of being constantly split between the OR and the ward, communication within the  
24 surgical team occurs across different platforms. Key decisions are made, recorded, and  
25 communicated not necessarily in medical health records but on handover sheets, text  
26 messaging, and applications on smartphones. Throughout the WR one or more of the team  
27 will access their mobile telephones to look up information, receive and make phone calls,  
28 send text and WhatsApp messages (a smart phone app for instant messaging) to keep each  
29 other informed about decisions made for individual patients and about the team's impending  
30 tasks and whereabouts of individual team members (Table 2, T2d & T2e). Key decisions

1 about what medical tests the patient needs, what the results are and what procedures have  
2 been performed on a patient in the OR are similarly communicated via WhatsApp and text  
3 messaging. The study was conducted on wards that had recently adopted electronic medical  
4 records and prescribing and computers on wheels were used as part of the WR to access the  
5 necessary information and to document the WR. However, on numerous occasions, the  
6 computers failed to work, or were unavailable, and the teams had no means of accessing  
7 information or documenting decisions other than their own memory and written hand over  
8 sheets. (Table 2, T2f). These technological advances have the potential to facilitate  
9 information sharing, but to get a full picture of the clinical story for each patient one must put  
10 together all the communication pieces from this jigsaw of platforms (T2g & T2h). Information  
11 about the infection management of the patient is recorded on multiple communication  
12 platforms, and the context specific knowledge about the specific steps that have been taken  
13 in managing the infection in the patient is spread amongst the team. This knowledge is often  
14 not shared effectively (T2, i).

15  
16 On many occasions a patient was thought to be on antibiotics by the team, and after further  
17 queries in notes and charts was found not to be on them, and vice versa. In relation to  
18 antibiotic prescribing the conversation that was heard most often was: '*Continue antibiotics...*  
19 *[after a pause] is she on them now...?*' (surgeon to the team) (see also T2j). This gap in  
20 communication sometimes means that the patient, if they are cognisant, can become the vital  
21 source of information about their own care (Table 2, T2k).

22

### 23 Delegating antibiotic management

24 Surgeons tended to see the core elements of their role as relating to the surgical  
25 management of their patients, a role that is performed in the OR. Antibiotic management is  
26 peripheral to this role (Table 2, T3 a).

27

28 The surgeons' accounts demonstrate that antibiotic decisions come second to decisions  
29 directly relating to surgical practice. The lack of priority given to antibiotic decision making is  
30 compounded by a lack of expertise, resulting in responsibility for antibiotic decisions being

1 commonly delegated to others (Table 2, T3b). In the hospital we studied, the delegation of  
2 responsibility for medical management for patients has been formalised through the  
3 appointment of medical consultant who conducts twice weekly WRs of patients referred to  
4 him by the surgical team for medical care. This consultant has become an additional source  
5 of support for antibiotic management of the patients (Table 2, T3c and d).  
6 The consultant surgeon may be the person who decides whether a patient needs an antibiotic  
7 or not, but the drug choice, the route, timing etc. is not consistently discussed on the WR.  
8 That decision is left to the junior doctors (Table 2, T3e). In the OR too the surgeons rely on  
9 the anaesthetist to support them (Table 2, T3f). Due to the competing priorities in surgery,  
10 management of the antibiotic prescribing is low on the priority list of the surgical team (Table  
11 2, T3g).

### 13 The need for intervention

14 The need and expectation to intervene means that often antibiotics are initiated for patients  
15 with no or little evidence of infection, but a high plausibility of infection in the minds of the  
16 surgeons. This process is rationalised by the surgeons as being an extension of their roles as  
17 'interventionists' (Table 2, T4a). In the absence of evidence of infection what drives antibiotic  
18 decision making is a risk of failure, and a risk of blame (Table 2, T4b-T4d). What is  
19 considered unique in surgery is that a patient has to be well enough to be able to undergo an  
20 operation, therefore any deterioration post-operatively is assumed to be a consequence of the  
21 surgery, and the decisions of the surgeon, and not the patient's underlying illness (Table 2,  
22 T4d). These concerns drive a more conservative approach to antibiotic decision making  
23 leading to unnecessary and prolonged courses of antibiotics (Table 2, T4e).

### 26 **Discussion**

27 This study found inconsistencies in the approach to antibiotic decision making in surgery,  
28 often with the key identified variables (Figure 1) not discussed as part of the WR. Some of  
29 this is due to the practicalities of the the WR in surgery and can be overcome through simple  
30 solutions (Box 1). The principal purpose of the surgical teams' contribution to the patient

1 pathway is a surgical intervention. The surgical team is constantly split between the OR,  
2 clinics and the ward. Thus, there is a lack of clarity about the responsibility for antibiotic  
3 management of patients, and antibiotic prescribing takes place in the context of disjointed  
4 information. This leads to poor continuity of care and sub-optimal antibiotic management. The  
5 use of WhatsApp and other smartphone apps amongst surgical teams has been reported  
6 <sup>28,29</sup>. The multitude of communication pathways though essential to a team that is constantly  
7 split up, introduces gaps in communication that can impede effective coordination and thus  
8 patient care<sup>30</sup>. One of the drawbacks of electronic prescribing systems is that they do not offer  
9 handover or messaging tools, especially on mobile devices. This leaves healthcare  
10 professionals with no recourse other than using paper handover sheets and their  
11 smartphones. In electronic health records, all entries are made on a single computer screen,  
12 making it easy to overlook checking the electronic medication chart on the WR, and miss  
13 reviewing the antibiotics prescribed. There were several occasions where decisions about  
14 antibiotic courses for the patients were made without referring to the prescription screen to  
15 see what medication the patient was on. This can result in patients not receiving appropriate  
16 antibiotic management.

17  
18 The overwhelming responsibility for the patient remains with the surgeons. However, the  
19 surgeons identify their main role to be addressing the surgical problems of the patient. All  
20 other tasks, including antibiotic management, are peripheral to this and may be missed in the  
21 WR. The expectation placed on surgical teams to optimise antibiotics needs to be managed  
22 in the context of the way that the teams work how they prioritise the patient needs. Antibiotic  
23 decision making is often seen as a necessary, conservative intervention, even where there is  
24 no evidence of an infection. This perception is driven by a fear of the risk of possible  
25 infections and risk of blame rather than an active exercise of managing infections. This  
26 practice drives inappropriate antibiotic use, particularly in the post-operative phase. The  
27 surgeons demonstrate a willingness to delegate the leadership of antibiotic management to  
28 other colleagues. As surgeons are required to increasingly specialize in technical procedures,  
29 there is a need to explicitly assign the responsibility for antibiotic management of the surgical  
30 patient to a responsible, individual(s) with necessary expertise. This will help bring together

1 the different threads of information that are required in order to optimise antibiotic use in  
2 surgery (Figure 2). Diagnosis and treatment of infections is a specialty that requires expertise  
3 and training, therefore this is an opportunity to develop, with support from specialist  
4 microbiology laboratory and staff, a role for a clinician(s) responsible for perioperative  
5 antibiotic management. This will help strengthen the antibiotic management for surgical  
6 patients and has the potential to facilitate continuity of care and to help overcome the  
7 substantial gaps in communication that have been identified in this study. In a previous paper  
8 we described the influence of 'prescribing etiquette' on antibiotic decision making in hospitals,  
9 recommending that leadership within existing clinical teams should be used to wield influence  
10 <sup>19</sup>. The time is right to question whether we need to address the gap in antibiotic prescribing  
11 for surgical patients by developing this specific perioperative clinician role to manage  
12 infections. This is of critical importance considering the rising challenge of antibiotic  
13 resistance in post-operative patients.

14  
15 This is a single centre, qualitative study, and we did aim not develop and test solutions. The  
16 study's strengths are that it provides a detailed qualitative exploration, appropriate for  
17 describing how and why antibiotic decision making takes place within the complex  
18 sociotechnical system that is the surgical specialty. The findings are strengthened by  
19 triangulation through the use of three data sources.

## 21 **Conclusion**

22 Antibiotic management is peripheral to the role of surgeons, is not prioritised, and is  
23 commonly delegated to other healthcare professionals. Achieving effective antibiotic  
24 management is frustrated by diffusion of responsibility, lack of continuity, and disjointed  
25 information. Antibiotic management of the surgical patient could be potentially improved  
26 through assigning explicit responsibility for it to clinicians who could address perioperative  
27 medical care, working within, or closely with the surgical team.

## 28 **Transparency declaration**

29 Conflicts of Interest and declare: Charani, Tarrant, Moorthy, Brennan and Holmes none to  
30 declare. Sevdalis is the Director of London Safety & Training Solutions Ltd, which provides

1 team skills training and advice on a consultancy basis in hospitals and training programs in  
2 the UK and internationally.

### 3 **Acknowledgements**

4 The authors would also like to acknowledge the National Institute of Health Research Imperial  
5 Biomedical Research Centre and the National Institute for Health Research Health Protection  
6 Research Unit (NIHR HPRU) in Healthcare Associated Infection and Antimicrobial Resistance  
7 at Imperial College London in partnership with Public Health England and the NIHR Imperial  
8 Patient Safety Translational Research Centre. NS research was supported by the National  
9 Institute for Health Research (NIHR) Collaboration for Leadership in Applied Health Research  
10 and Care South London at King's College Hospital NHS Foundation Trust. NS is a member of  
11 King's Improvement Science, which is part of the NIHR CLAHRC South London and  
12 comprises a specialist team of improvement scientists and senior researchers based at King's  
13 College London. Its work is funded by King's Health Partners (Guy's and St Thomas' NHS  
14 Foundation Trust, King's College Hospital NHS Foundation Trust, King's College London and  
15 South London and Maudsley NHS Foundation Trust), Guy's and St Thomas' Charity, the  
16 Maudsley Charity and the Health Foundation. The views expressed in this publication are  
17 those of the authors and not necessarily those of the NHS, the National Institute for Health  
18 Research or the UK Department of Health. The authors wish to thank Enrique Castro-  
19 Sánchez, Timothy Rawson, Sanjay Guatama, Nebil Behar and Mark Gilchrist for their  
20 contribution to the discussions and to the development of the manuscript.

21

1 **References**

2

3 1. Cusini A, Rampini SK, Bansal V, et al. Different patterns of inappropriate antimicrobial  
4 use in surgical and medical units at a tertiary care hospital in Switzerland: A  
5 prevalence survey. *PLoS One*. 2010;5(11):1-8. doi:10.1371/journal.pone.0014011.

6 2. Bailly P, Lallemand S, Thouverez M, Talon D. Multicentre study on the  
7 appropriateness of surgical antibiotic prophylaxis. *J Hosp Infect*. 2001;49(2):135-138.  
8 doi:10.1053/jhin.2001.1064.

9 3. Lim MK, Lai PSM, Ponnampalavanar SSL, et al. Antibiotics in surgical wards: Use or  
10 misuse? a newly industrialized country's perspective. *J Infect Dev Ctries*.  
11 2015;9(11):1264-1271. doi:10.3855/jidc.6731.

12 4. Holmes AH, Moore LSP, Sundsfjord A, et al. Understanding the mechanisms and  
13 drivers of antimicrobial resistance. *Lancet*. 2015;387. doi:10.1016/S0140-  
14 6736(15)00473-0.

15 5. Kapadia BH, Berg RA, Daley JA, Fritz J, Bhawe A, Mont MA. Periprosthetic joint  
16 infection. *Lancet*. 2015;387(10016):386-394. doi:10.1016/S0140-6736(14)61798-0.

17 6. Gaynes R, Culver D, Horan T, Edwards J, Richards C, Tolson J. Surgical Site  
18 Infection (SSI) rates in the United States, 1992–1998: The National Nosocomial  
19 Infections Surveillance System Basic SSI Risk Index. *Clin Infect Dis*. 2001;33(Suppl  
20 2):S69-77. doi:10.1086/321860.

21 7. Teillant A, Gandra S, Barter D, Morgan DJ, Laxminarayan R. Potential burden of  
22 antibiotic resistance on surgery and cancer chemotherapy antibiotic prophylaxis in the  
23 USA : *Lancet Infect Dis*. 15(12):1429-1437. doi:10.1016/S1473-3099(15)00270-4.

24 8. Anderson DJ, Pyatt DG, Weber DJ, Rutala WA. Statewide costs of health care-  
25 associated infections: Estimates for acute care hospitals in North Carolina. *Am J Infect  
26 Control*. 2013;41(9):764-768. doi:10.1016/j.ajic.2012.11.022.

27 9. Davey P, Brown E, Charani E, et al. Interventions to improve antibiotic prescribing  
28 practices for hospital inpatients ( Review ). *Cochrane database Syst Rev*.  
29 2013;4(5):CD003543. doi:10.1002/14651858.CD003543.pub3.

30 10. Gagliardi AR, Fenech D, Mcleod R. Factors influencing antibiotic prophylaxis for



- 1 surgical site infection prevention in general surgery: a review of the literature. *Can J*  
2 *Surg.* 2009;52(6):481-489.
- 3 11. de Vries EN, Dijkstra L, Smorenburg SM, Meijer RP, Boermeester MA. The SURgical  
4 PATient Safety System (SURPASS) checklist optimizes timing of antibiotic prophylaxis.  
5 *Patient Saf Surg.* 2010;4(1):6. doi:10.1186/1754-9493-4-6.
- 6 12. Kritchevsky SB, Braun BI, Bush AJ, Bozikis MR, Kusek L. The Effect of a Quality  
7 Improvement Collaborative to Improve Antimicrobial Prophylaxis in Surgical Patients.  
8 *Ann Intern Med.* 2008;149:472-480.
- 9 13. Undre S, Sevdalis N, Healey AN, Darzi A, Vincent CA. Teamwork in the operating  
10 theatre: Cohesion or confusion? *J Eval Clin Pract.* 2006;12(2):182-189.  
11 doi:10.1111/j.1365-2753.2006.00614.x.
- 12 14. Russ S, Rout S, Caris J, et al. Measuring Variation in Use of the WHO Surgical Safety  
13 Checklist in the Operating Room : A Multicenter Prospective Cross-Sectional Study. *J*  
14 *Am Coll Surg.* 2015;220(1):1-11.e4. doi:10.1016/j.jamcollsurg.2014.09.021.
- 15 15. Reames BN, Knell RW, Campbell DA, Dimick JB. A Checklist-Based Intervention to  
16 Improve Surgical Outcomes in Michigan: Evaluation of the Keystone Surgery Program.  
17 *JAMA Surg.* 2015;48109:1-7. doi:10.1001/jamasurg.2014.2873.
- 18 16. Anthes E. The trouble with Checklists. *Nature.* 2015;523:516-518.
- 19 17. Nagpal K, Abboudi M, Fischler L, et al. Evaluation of postoperative handover using a  
20 tool to assess information transfer and teamwork. *Ann Surg.* 2011;253(4):831-837.  
21 doi:10.1097/SLA.0b013e318211d849.
- 22 18. Pucher PH, Aggarwal R, Qurashi M, Singh P, Darzi A. Randomized clinical trial of the  
23 impact of surgical ward-care checklists on postoperative care in a simulated  
24 environment. *Br J Surg.* 2014;101:1666-1673. doi:10.1002/bjs.9654.
- 25 19. Charani E, Castro-Sanchez E, Sevdalis N, et al. Understanding the determinants of  
26 antimicrobial prescribing within hospitals: the role of "prescribing etiquette". *Clin Infect*  
27 *Dis.* 2013;57(2):188-196. doi:10.1093/cid/cit212.
- 28 20. Davey P, Peden C, Charani E, Marwick C, Michie S. Time for action—Improving the  
29 design and reporting of behaviour change interventions for antimicrobial stewardship  
30 in hospitals: Early findings from a systematic review. *Int J Antimicrob Agents.* 2015.

- 1 doi:10.1016/j.ijantimicag.2014.11.014.
- 2 21. The Health Foundation. *Perspectives on Context*. London; 2014.
- 3 22. Soliman A, Riyaz S, Said E, Hale M, Mills A, Kapur K. Improving the quality of care for  
4 medical inpatients by placing a higher priority on ward rounds. *Clin Med J R Coll*  
5 *Physicians London*. 2013;13(6):534-538. doi:10.7861/clinmedicine.13-6-534.
- 6 23. Rowlands C, Griffiths SN, Blencowe NS, et al. Surgical ward rounds in England: a  
7 trainee-led multi-centre study of current practice. *Patient Saf Surg*. 2014;8(1):11.  
8 doi:10.1186/1754-9493-8-11.
- 9 24. Pucher PH, Aggarwal R, Singh P, Muaz T, Darzi A. Identifying quality markers and  
10 improvement measures for ward-based surgical care : a semistructured interview  
11 study. *Am J Surg*. 2015;210(2):211-218. doi:10.1016/j.amjsurg.2014.11.013.
- 12 25. Dixon-Woods M, Shojania KG. Ethnography as a methodological descriptor: the  
13 editors' reply. *BMJ Qual Saf*. 2016;(January):bmjqs-2015-005117-. doi:10.1136/bmjqs-  
14 2015-005117.
- 15 26. Charani E, Gharbi M, Moore LSP. Effect of adding a mobile health intervention to a  
16 multimodal antimicrobial stewardship programme across three teaching hospitals : an  
17 interrupted time series study. *J Antimicrob Chemother*. 2017. doi:10.1093/jac/dkx040.
- 18 27. Glaser B, Strauss A. *The Discovery of Grounded Theory: Hawthorne*. NY: Aldine  
19 Publishing Company; 1967.
- 20 28. King D, Ch B, S MRC, et al. Smartphones let surgeons know WhatsApp : an analysis  
21 of communication in emergency surgical teams. *Am J Surg*. 2015;209(1):45-51.  
22 doi:10.1016/j.amjsurg.2014.08.030.
- 23 29. Patel B, Johnson M, Cookson N, King D, Arora S, Darzi A. Patel B, Johnston M,  
24 Cookson N, King D, Arora S, Darzi A Interprofessional Communication of Clinicians  
25 Using a Mobile Phone App: A Randomized Crossover Trial Using Simulated Patients.  
26 *J Med Internet Res*. 2016;18(4):e79. doi:10.2196/jmir.4854.
- 27 30. Wong H, Forrest D, Healey A, et al. Information needs in operating room teams: what  
28 is right, what is wrong, and what is needed? *Surg Endosc*. 2011;25(6):1913-1920.  
29 doi:doi: 10.1007/s00464-010-1486-z.
- 30

1

2


ACCEPTED MANUSCRIPT

1 **Table 1** Summarising the ward round demographics  
2

Ward round number	Duration (hours)	Number of patients	Number of wards visited	Ward round type	Lead by	Number of participants on ward round	Participants
1	2 ½	7	2	Non-Acute	Surgeon A	5	Surgeon, Registrar, Junior Doctor, Medical Students
2	2	7	3	Non-Acute	Reg A	5	Registrar, Junior Doctor, Medical Student
3	3	10	4	Non-Acute	Surgeon B	8	Surgeon, Registrar, Junior Doctor, Medical Student, Summer Placement Students
4	3	8	5	Acute	Surgeon A	8	Surgeon, Registrar, Junior Doctor, Medical Students
5	5	12	3	Acute	Surgeon A	8	Surgeon, Registrar, Junior Doctor, Advanced Practice Nurse
6	3	11	3	Acute	Surgeon A&C	13	Surgeon, Registrar, Junior Doctor, Advanced Practice Nurse, Electronic Medical Records Team
7	2	15	5	Acute	Surgeon B&C	7	Surgeon, Registrar, Junior Doctor, Medical Student, Advanced Practice Nurse,
8	2 ½	16	8	Acute	Surgeon D&C	6	Surgeon, Registrar, Junior Doctors, Locum Registrar
9	4 ½	15	10	Acute	Surgeon C	7	Surgeon, Junior Doctors, Locum Registrar, Advanced Practice Nurse
10	3	14	4	Acute	Surgeon C	9	Surgeon, Registrar, Junior Doctors, Medical Students, Advanced Practice Nurse
11	4 ½	16	9	Acute	Surgeon C	8	Surgeon, Registrar, Interns, Medical Students, Advanced Practice Nurse
12	1 ¾	9	4	Non-Acute	Reg B	2	Registrar, Junior Doctor
13	1 ½	7	3	Acute	Surgeon A	11	Surgeon, Registrar, Junior Doctors, Locum Junior Doctor, Medical Students
14	2 ½	13	8	Acute	Surgeon E	7	Surgeon, Registrar, Junior Doctors, Locum Junior Doctor, Medical Students, Advanced Practice Nurses
15	6	22	11	Acute	Surgeon C	7	Surgeon, Registrar, Junior Doctors, Medical Students, Advanced Practice Nurses
16	5	20	10	Acute	Surgeon C	6	Surgeon, Registrar, Junior Doctors, Advanced Practice Nurse
17	2	10	4	Non-Acute	Surgeon F	4	Surgeon, Registrar, Junior Doctors, Locum Junior Doctor, Medical Student
18	1 ½	7	2	Non-Acute	Reg B	2	Registrar, Junior Doctor
19	¾ Hour	4	1	Non-Acute	Reg C	2	Registrar, Junior Doctor
20	5	15	3	Acute	Surgeon A	5	Surgeon, Registrar, Junior Doctor
21	3	20	4	Acute	Surgeon B	5	Surgeon, Registrar, Junior Doctor, Locum Junior Doctor, Advanced Practice Nurse
22	4 ½	28	5	Acute	Surgeon B	5	Surgeon, Registrar, Junior Doctor, Locum Junior Doctor, Advanced Practice Nurse
23	1	17	4	Acute	Surgeon B	5	Surgeon, Registrar, Junior Doctor, Locum Junior Doctor, Advanced Practice Nurse
24	3	19	2	Acute	Surgeon A	6	Surgeon, Registrar, Junior Doctor, Locum Junior Doctor, Advanced Practice Nurses,
25	2	18	3	Acute	Surgeon G	5	Surgeon, Registrar, Junior Doctor, Advanced Practice Nurse
26	2	14	3	Acute	Surgeon G	6	Surgeon, Registrar, Junior Doctor, Locum Junior Doctors, Advanced Practice Nurse, Medical Students
27	2	19	4	Acute	Surgeon C	9	Surgeon, Registrar, Junior Doctor, Locum Junior Doctors, Advanced Practice Nurse, Visiting Surgeon

Ward round number	Duration (hours)	Number of patients	Number of wards visited	Ward round type	Lead by	Number of participants on ward round	Participants
28	5	20	4	Acute	Surgeon F	5	Surgeon, Registrar, Junior Doctors, Locum Junior Doctors, Advanced Practice Nurse
29	4	27	7	Acute	Surgeon F	6	Surgeon, Registrar, Junior Doctors, Locum Junior Doctor, Advanced Practice Nurse
30	3 ½	20	5	Acute	Surgeon F	7	Surgeon, Registrar, Junior Doctors, Locum Junior Doctor, Advanced Practice Nurse

**Figure 1** Causal diagram mapping the relationship between surgery and infection, and the variables that should be considered as part of antibiotic decision making



**Box 1** Opportunities in antibiotic management in surgery

Observed practice	Opportunities
<ul style="list-style-type: none"> <li>• <b>Senior surgeons are not actively engaged in antibiotic decision making</b></li>   <li>• <b>Incoherent communication about antibiotic management of surgical patients</b></li>   <li>• <b>Unco-ordinated antibiotic management</b></li> </ul>	<ul style="list-style-type: none"> <li>• The surgeons are the leaders in their specialty, engaging with a surgeon is tantamount to engaging with their entire team</li> <li>• Colleagues with expertise in antibiotics (microbiology/infectious disease and pharmacy) should engage and communicate with surgeons in a consistent and sustainable way, this includes accommodating the different working patterns of surgeons, e.g. in this study an ideal point of daily intervention and engagement is the 7.30 ward round, where the team spends the first 30 minutes to discuss and present every patient to the lead surgeon</li> <li>• It is critical to engage with the surgical teams on the communication platforms most frequently used by them, this may be via phone, text-messaging etc.</li> <li>• Define a dedicated clinical role for antimicrobial stewardship within the surgical team, this can be context specific whether it is a pharmacist or a nurse or surgical trainees who have responsibility for ensuring appropriate antimicrobial management for patients in their team</li> </ul>

**Table 2 Continued** Key emerging themes from the study, normal text denotes observation notes, italics denotes quotes from participants

<i>Theme</i>	<i>Example</i>
	<p>T1 a            A registrar is called from the OR to conduct a WR. The junior doctor has gone to look for a senior doctor to help her with the WR. The registrar texts her to return as she is now here, and without waiting for the junior doctor she starts the WR asking the medical student who is present– ‘You have to step up, you are now the junior doctor, do you know the patients?’  <b>Field notes</b></p>
Theme 1 Working in a state of flux	<p>T1 b            The locum surgeon on call over the weekend is not present for the handover – the surgeon tells me later that is because he was a locum and they don’t care, cannot expect them to be there.  <b>Field notes</b></p>
	<p>T1 c            The junior doctor comes back and the registrar leaves to go back to theatre. The locum registrar tells the junior doctor – ‘<i>I’ve no idea about the patients. I’m new, I have never done a ward round before..</i>’ I ask him later how long he has been here, and he says he has just started a 6 month contract, and he has trained here in the UK.            Field notes</p>
	<p>T1 d  <i>‘In terms of locums, some of them are fantastic, some of them are not fantastic, and it means, so some of the junior locums, not, it feels harsh saying, but some of them are not as good as they could be so it makes our life harder because we’re having to check, double check things. And in terms of registrars, ...if I do not trust that registrar, I just won’t go to them and that makes me vulnerable in a way because then I have to make more decisions on my own and also it means that I’ll have to bother the surgeon more.’</i>  <b>Interview, junior doctor</b></p>



T1 e  
*'...what you see at the week, so we have our individual teams, so the four or five specialities are covered by different surgeons, and at the weekend we cover, only one team covers everyone.'*  
**Interview, Advanced Practice Nurse**

**Table 2 Continued** Key emerging themes from the study, normal text denotes observation notes, italics denotes quotes from participants

<i>Theme</i>	<i>Example</i>
	<p>T2 a            The surgeon gets a call that he is needed in the OR to help with an operation. The round continues with the registrar, junior doctor and advanced practice nurse. The locum is still running around finishing tasks for other patients.  <b>Field notes</b></p>
Theme 2 Communication jigsaw	<p>T2 b  <i>'Some people don't tell me stuff that is vital and between us and nurses, the nurses to us, and between doctors. If you don't tell anyone anything they're not going to know and things don't get done. So, some people are not very good at communicating.'</i>  <b>Interview, junior doctor</b></p>
	<p>T2 c            Whilst waiting for the round to start, the surgeon came on the ward and went to see his patients. He saw the patients alone, and then told a registrar who was on the ward: <i>'I've seen all the patients, tell the junior doctor what I told you.'</i>  <b>Field notes</b></p>
	<p>T2 d            On the way back to the ward I ask them if they can access the entry they just made into the intensive care unit electronic notes. They respond: <i>'No it is an absolute waste of time. It's a farce.'</i> I ask them how they communicate the recommendations made for the patient by the surgeons and they explain that <i>'The surgeons expect us to update them on the patients constantly via email or texting or calling. If they don't hear anything it means all is well with the patient.'</i> The registrar adds: <i>'I don't call or text about</i></p>

Theme	Example
	<p>every little detail, but for important things. ‘ Field notes</p>
	<p>T2 e ‘...it’s a very good general surgery hospital, it’s renowned for research and surgeries, etc, so the registrars and the surgeons are very high up in their fields, and very dedicated, so they spend far more hours here than they should taking care of their patients, and because we communicate on the phone rather than bleep system, which I know some of my other colleagues in other hospitals, they can only bleep their seniors, I feel like that improves communications, and they’re always, the vast majority of them anyway, are always at the end of the phone if they’re not operating or, and they’re always going to text back within half an hour. There’s a WhatsApp group, just for the juniors, we have our own WhatsApp group. The emergency junior doctors who are on post-take that day have their own WhatsApp group too, just because they’re the ones posting the most.’ <b>Interview, junior doctor</b></p>
	<p>T2 f A junior doctor goes to find a computer on wheel (COW) that works. His card is not working in any of the COWS that are free on the ward. He goes to check his card on a PC and finds the fault is in the COWs and not his card. The surgeon goes to find him and says he has to hurry and asks him to come on the round and take notes instead of using the COW. <b>Field notes</b></p>
	<p>T2 g The first patient they see on the ward has been transferred from the clinical decisions unit. The team ask the patient if he is on any medications. The patient replies he is on painkillers and antibiotics – he looks bewildered at the question. The junior doctor explains to the patient the clinical decisions unit have their records on paper, whilst this ward is electronic records. The pharmacy technician stops the advanced practice nurse to explain the team have written up 30gram of morphine for the patient instead of 30mg. A nurse walking by says that the patient is on augmentin and metronidazole. The nurse returns with the medication chart and says the patient is on ‘cef&amp;met’. <b>Field notes</b></p>
	<p>T2 h The junior doctor remarks that ‘I don’t like it when it’s mixed (medical records on paper and electronic) as you can miss things.’ Leaving the ward she continues: ‘What I hate about surgery is that the ward rounds are done in such a rush, we never get to delve into the patient history, in medicine there is more delving into the detail.... he has been in our care for three days and we didn’t know he has bronchiectasis.’</p>

Theme	Example
<b>Field notes</b>	
T2 i	<p>A patient has severe sepsis post-operatively. The team go through the patient results and the junior doctor explains to the surgeon – ‘we put her on meropenem..’ The surgeon wants to know whose decision that was. The junior doctor confirms it was the registrar who decided that. The surgeon wants to check the bloods and culture results for the patient, but the results are from the day before. The advanced practice nurse replies that they should have taken culture yesterday. The nurse looking after the patient joins the WR. The patient, the nurse confirms, missed her dose of meropenem, as the electronic medical record system was down and the team were using paper charts and the meropenem was written on the paper chart.</p> <p><b>Field notes</b></p>
T2 j	<p>The surgeon sees the patients. He asks team to ‘<i>continue on antibiotics</i>’ for one patient, the junior doctor explains the patient is not on antibiotics. ‘<i>Put her on some, put her on cef.</i>’</p> <p><b>Field notes</b></p>
T2 k	<p>The patient asks the surgeon – “<i>what about antibiotics and my scan</i>”. The surgeon replies that according to the handover if the patient was considered to be well she could go home. He then looks at the results and confirms – “<i>your inflammatory markers are normal, no antibiotics...</i>” The patient explains that because she has lupos she was told by the registrar on the weekend that she “<i>was going to need antibiotics</i>”. He then tells the team to give the patient seven-day course of co-amoxiclav. And to the patient he reiterates – “<i>we’ll give you some antibiotics since my colleague told you, you will get it.</i>”</p> <p><b>Field notes</b></p>

**Table 2** Key emerging themes from the study, normal text denotes observation notes, italics denotes quotes from participants

Theme	Example
	<p>T3 a</p> <p><i>I think, it's [antibiotic management] quite a long way away from what a surgeon's primary interest is. Surgeons basically like to operate, and if you're dragging them away from the operating room or distracting them from what they're really interested in, it's quite hard to motivate them.</i></p> <p><b>Interview, surgeon F</b></p>
Theme 3 Delegating antimicrobial management	<p>T3 b</p> <p><i>Most surgeons don't have expert knowledge of microbiology. Most surgeons basically are dogmatic in their prescribing practices. They prescribe the handful of antibiotics that they know, and they don't understand the fundamental clinical science in what they're doing. So, asking a surgeon to go onto an antibiotic ward round, it's a bit like, you might as well be asking them to go onto, I don't know, a cardiology ward round. They just don't have any working knowledge of it. Surgeons have quite significantly advocated responsibility to microbiologists, so on my ward round I no longer prescribe, we have hospital guidance, which says ... but basically if I've got a patient with a complex wound infection, I will culture whatever I can, and get them whatever fluid or tissue that I can get them, and then I just let them make the choice, because, this is the world we live in, they are the experts, they know what specific bacteria are doing and which drugs will work, so I just let them make a call. So, for garden variety wound infections, I will go with hospital guidance, but if it's a bit more complicated, I abdicate responsibility to microbiologists.</i> <b>Interview, surgeon F</b></p>
	<p>T3 c</p> <p><i>'So if the infection is related to their abdomen basically we are responsible but we need the support from microbiology, sometimes if there's a collection we need the support from the interventional radiology. If it's chest infection then probably we need the support from the medical team sometimes, although we, ourselves we just give them antibiotics for chest infections. But when something is complicated obviously, we need some other specialties to get involved. We sometimes get involved the medics, the medical consultant who's working very hard.... he is very approachable usually and the juniors very often, and even me, we often talk to him even if it's not the day of the meeting to get some advice and he very kindly comes and sees the patients.'</i></p> <p><b>Interview, surgeon C</b></p>
	<p>T3 d</p>

	<p><i>'I don't think they think there's a gap in antibiotics but I think they realised there was a gap in the medical knowledge and that's why a medical physician was employed...which is completely invaluable, and I would, I hope every surgical team have that, because I literally go to him for everything and.... It means that, in a way, that surgeons don't even try because they're like, he will review it, for anything from delirium...they rarely listen to the chest if they've got a wheeze or a cough. So, in that way it's bad because it makes them not take responsibility for that, but in the same way the surgeon is incredible at what he does and he will deal with any problem from heart failure, chest infection, anticoagulation, antibiotics, so I would ask him about, anything, so I think they recognised that gap in the sort of medical infectious issues and that's why he was designated ...'</i> <b>Interview, junior doctor</b></p>
	<p>T3 e  <i>They [the surgeon's team members] think, you told them, sometimes they ask you, what dose, and if you know the dose you let them know. If you don't know the dose you just say, please call pharmacy or call microbiology. To be honest I don't double check, I don't have the time to double check whether they prescribe correctly or not.</i>  <b>Interview, surgeon C</b></p>
	<p>T3 f  <i>I think that most of the surgeons don't follow the guidelines a lot. They are based more on the practice and the experience.... because sometimes they don't have time to look at the guidelines and we just... work on, OK, chest infection, give tazocin [piperacillin and tazobactam]. I do that as well sometimes.... Surgeons don't think about antibiotic resistance. To be honest I don't think about antibiotic resistance. This [surgical prophylaxis] is something that most of the time the anaesthetist will remind us because we are very focussed on the operation and it's something that we usually forget.</i>  <b>Interview, Surgeon C</b></p> <p>T3 g  <i>It's not that I don't think, it's not that surgeons don't think antibiotics are important, it's just not high on their priorities. And sometimes it drops off their priority list.</i> <b>Interview, surgeon F</b></p>

Theme Example

The me	<p>T4 a  <i>I think a lot of it is about personality, because we go into surgery because we are interventionalists. We go into surgery because our mechanism of making people better is to do something to them that makes them better. And I think that we do that surgically,</i></p>
-----------	---

*but I think that we have a habit of doing it pharmacologically as well. We, we are not as good at riding things out, we get impatient, we want to do something, and I think we therefore probably trigger interventions more quickly maybe, than other specialities. Interview, surgeon G*

T4 b

*A lot of it comes down to consensus of opinion. That what none of us want to be is vulnerable, and that's the danger that, that doing something like not treating the patient, not treating your patients. But for me to change what the unit do in that is going to be difficult, because you have one complication and then suddenly you're isolated because you've done something different to how Prof X does how Consultant Z does and there's been an issue. So, there's, a lot of it is about the consensus.*

**Interview, surgeon G**

T4 c

*I think it's just because you don't want that patient to end up with a complication that has been caused by you, so if you thought, or not that it was caused by you but if it was say for example a difficult appendix, really infected and loads of pus everywhere, if you know that it was nasty and you tried your best to get it all clean, but you don't know you're going to be able to prevent an infection, then the best thing that you can do to prevent that is to start them on antibiotics. So, if you've tried your best but you still think, you're worried they're going to develop something, and I think because if you tried your best but you're still concerned, and then on top of that because, I guess it's partly to do with being accountable because in an operation, you put your name on it and then surgeons are very quick to point their finger. Interview, registrar*

T4 d

*The major challenge is this, is that, there is a fundamental difference in medicine and surgery, which is if someone comes in with a pneumonia, so you try and treat it, but that person with pneumonia dies. Well you tried and that's OK. If someone comes in to hospital for an elective operation, and they die from sepsis or infection, that death was preventable and it's your fault. And therefore, surgeons practise an incredibly defensive brand of medicine, and if there is even a small chance that me giving a dose of prophylactic antibiotics or keeping my patients on ten days instead of seven, and it means that my patient's outcome will be better, and my outcome data will be better, because I get judged, then I'm going to give that patient antibiotics. I'm going to do it, and so I think what you see is a lot of surgeons prescribe defensively, and they don't really care what the evidence is, and they don't really care what the problems antibiotic resistance are. So I think that's the major hurdle you've got to get over. And that's a real challenge, because it's not just providing an evidence base, you're changing the entire culture. Interview, surgeon F*

T4 e

*There's too much Tazocin prescribed, everyone seems to have a hospital acquired pneumonia, anyone who's got any crackles on their chest, hospital acquired pneumonia, they start Taz, but have they though? It's the culture, it's cultural, it's easy, it's too easy to say oh put them on Taz because I don't want my operation screwed up. I get really upset when I find two days after I've done a laparoscopic operation they've put them on Tazocin, why?*

*I'm not always the one making that decision, the registrar will do it, you know. And then I stop it, or by the time I've realised they've already had three doses, I go can you just stop it which makes complete nonsense because they haven't even had a full course either so it's a stupid thing but I'm not going to keep someone on Tazocin just because someone's started it. So, if I don't think there's a good clinical reason I'm going to stop it anyway.*

**Interview, surgeon B**

**Figure 3** The multidisciplinary elements of antibiotic prescribing in surgery

