



King's Research Portal

DOI: 10.1016/j.jadohealth.2016.11.017

Document Version Peer reviewed version

Link to publication record in King's Research Portal

Citation for published version (APA):

Donoghue, K., Rose, H., Boniface, S., Deluca, P., Coulton, S., Alam, M. F., Gilvarry, E., Kaner, E., Lynch, E., Maconochie, I., McArdle, P., McGovern, R., Newbury-Birch, D., Patton, R., Phillips, C. J., Phillips, T., Russell, I., Strang, J., & Drummond, C. (2017). Alcohol Consumption, Early-Onset Drinking, and Health-Related Consequences in Adolescents Presenting at Emergency Departments in England. *Journal of Adolescent Health*, *60*(4), 438-446. https://doi.org/10.1016/j.jadohealth.2016.11.017

Citing this paper

Please note that where the full-text provided on King's Research Portal is the Author Accepted Manuscript or Post-Print version this may differ from the final Published version. If citing, it is advised that you check and use the publisher's definitive version for pagination, volume/issue, and date of publication details. And where the final published version is provided on the Research Portal, if citing you are again advised to check the publisher's website for any subsequent corrections.

General rights

Copyright and moral rights for the publications made accessible in the Research Portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognize and abide by the legal requirements associated with these rights.

Users may download and print one copy of any publication from the Research Portal for the purpose of private study or research.
You may not further distribute the material or use it for any profit-making activity or commercial gain
You may freely distribute the URL identifying the publication in the Research Portal

Take down policy

If you believe that this document breaches copyright please contact librarypure@kcl.ac.uk providing details, and we will remove access to the work immediately and investigate your claim.

Online Supplementary Table 2: Linear regression for the association between social and behavioural

| Variable | β | Р | 95% confidence |
|----------------|--------|--------|----------------|
| | | | interval |
| Tobacco | | | |
| No | 0 | | |
| Yes | 0.927 | <0.001 | 0.770 – 1.084 |
| Emotion* | | | |
| Normal | 0 | | |
| Borderline | -0.029 | 0.860 | -0.535 – 0.294 |
| Abnormal | 0.084 | 0.515 | -0.169 – 0.338 |
| Conduct* | | | |
| Normal | 0 | | |
| Borderline | 0.325 | 0.006 | 0.092 – 0.558 |
| Abnormal | 0.383 | 0.001 | 0.154 – 0.612 |
| Hyperactivity* | | | |
| Normal | 0 | | |
| Borderline | 0.237 | 0.068 | -0.018 - 0.491 |
| Abnormal | 0.278 | 0.006 | 0.080 - 0.476 |
| Peer* | | | |
| Normal | 0 | | |
| Borderline | 0.002 | 0.984 | -0.207 – 0.211 |
| Abnormal | 0.234 | 0.204 | -0.127 – 0.594 |
| Prosocial* | | | |
| Normal | 0 | | |
| Borderline | 0.127 | 0.325 | -0.126 - 0.379 |
| Abnormal | 0.113 | 0.391 | -0.145 - 0.370 |
| QOL** | -0.027 | <0.001 | -0.0400.014 |

problems and alcohol consumption to demonstrate the bi-directional nature of causality.

N.B *Derived from the SDQ, **derived from the Kidscreen